

Index

A

A20, 531
A32, 534
AAA⁺ proteins, 4–5, 16, 68
Abf1, 22
ACF. *See* ATP-utilizing chromatin assembly and remodeling factor
ACS. *See* Autonomous consensus sequences
Adeno-associated virus. *See* Parvovirus
Adenovirus
 antiviral therapy, 493–494
 classification, 487
 clinical importance, 493
 DNA replication
 cellular factors in initiation, 492–493
 functions
 adenovirus DNA polymerase, 490–491
 DBP, 492
 precursor TP, 489–490
 model, 487–489
Adherin, cohesin loading onto DNA, 221
AIC316, 508
Anaphase-promoting complex/cyclosome (APC/C), 362–363, 369, 371, 389, 403
Anf1, 293
APC/C. *See* Anaphase-promoting complex/cyclosome
ARS. *See* Autonomous replication sequences
ARS1, 211
ASF1, 200, 203–204
ATM, 317–318, 320, 454, 476
ATP-utilizing chromatin assembly and remodeling factor (ACF), 203
ATR, 35–36, 317–319, 454
ATXR5, 388
ATXR6, 388
Autonomous consensus sequences (ACS), 21–23
Autonomous replication sequences (ARS), 21

B

Bailer–Gerold syndrome, 328–329
Base excision repair, long patch base excision repair
 similarities with Okazaki fragment processing, 192
 β clamp
 structure
 crystal structures, 165–167

 solution structures, 167–168

 unloading, 176

BIR. *See* Break-induced replication

BLM. *See* Bloom syndrome

Bloom syndrome (BLM), 328

Bovine parvovirus. *See* Parvovirus

BRCA1, 390

Brca2, 276

Break-induced replication (BIR). *See also* DNA damage

 bacteriophage T4, 44–46

Drosophila, 55

Escherichia coli, 46–48

Kluyveromyces lactis, 54–55

 mammals, 55–56

 microhomology-mediated break-induced replication, 56–57

 overview, 43, 45

Saccharomyces cerevisiae

 mutagenicity of replication, 53–54

 overview, 48–49

 Rad51-dependent replication

 double-strand break-dependent replication, 49–50

 double-strand break-independent replication, 50–51

 initiation of DNA synthesis, 52–53

 recombination-mediated establishment of replication, 52

 transformation, 49

 resolution of Holliday junctions, 54

 telomere maintenance, 51–52

Schizosaccharomyces pombe, 55

BRLF1, 520

BZLF1, 520–521

BZLH1, 521

C

CAF-1, 199–202, 207

Cajal body, telomerase enrichment, 301

Cancer. *See also* Human papillomavirus

 antirereplication mechanisms

 Cdc6, 313–314

 Cdc18, 313–314

 Cdt1, 313–314

 CRL4, 315–316

 cyclin-dependent kinases, 312–313

Index

- Cancer. *See also* Human papillomavirus (*Continued.*)
DDK function, 310–312
geminin, 315–316
Mcm2–7, 314–315
model systems, 310
origin recognition complex proteins, 313
p53, 315–316
prereplication complex assembly inhibition, 310
cell cycle markers in prognosis, 338–339
diagnosis using DNA replication proteins, 332
DNA damage effects on DNA replication
cellular responses, 317–320
double-strand break repair, 319
overview, 317
point mutations and microsatellite instability,
320–321
replication fork rescue, 319–320
genomic instability
overview, 309–310
prospects for study, 321–322
Mcm proteins as markers
advantages, 334–335
cervical cancer, 335–337
colorectal cancer, 337–338
detection of cells, 335
sensitivity, 332–333
rereplication
cancer driver, 316
inducers for therapy, 316–317
Canine parvovirus. *See* Parvovirus
Ccq1, 294, 300
Cdc2, 313, 475
Cdc6, 16, 21, 38, 68–70, 210, 279, 313–314, 315–316,
331, 361, 364, 369, 371, 389, 382
Cdc7. *See* DDK
Cdc10, 366
Cdc13, 293, 299–300, 302, 313
Cdc18, 313–314, 366
Cdc23, 366
Cdc25, 37, 406, 475
Cdc25A, 319
Cdc28, 364
Cdc45, 5, 8–9, 311–312, 424–425
MCM interactions, 102
plants, 383
Cdh1, 363, 403
Cdk2, 319
CDKs. *See* Cyclin-dependent kinases
Cdt1, 5–6, 16, 38–39, 68–70, 210, 313–316, 331, 334,
364, 366, 368–372, 389, 382, 407, 361
Cdt2, 367, 402
Chk1, 35–37, 318–319, 409
Chk2, 318
Chromatin
assembly, 199–202
biological functions
extended S-phase rationale, 138–139
temporal order of replication, 139–140
checkpoint effects, 138
disruption at replication fork, 202–204
establishment
chromosome domain in setting, 137–138
execution comparison, 136
execution
competition for rate-limiting factors,
136–137
establishment comparison, 136
histones
H2A variants, 198
H3 variants, 197–198
overview, 197
posttranslational modifications
epigenetic state maintenance, 204–207
newly synthesized histones, 205–207
types, 199
replication-dependent deposition, 199–202
replication fork dynamics, 199–200
replication-independent deposition of H3.3 and
cenH3, 200
stoichiometry of deposition, 204
temporal expression, 198–199
nucleosome positioning, 207–208, 211–212
origin environment
metazoans, 25–26
yeast, 22–23
origin regulation
histone modification, 209–211
nucleosome positioning in origin selection,
211–212
overview, 208–209
prospects for study, 140–141
replication timing regulation
chromatin interaction map studies of timing,
134–135
G₁ determinant loss before G₂, 133
proteins, 131–132
replication foci as cytogenetic unit of timing,
133–134
spatial compartmentalization of early and late
replication, 132
subnuclear position changes and cell fate
transitions, 133
sister chromatid adhesion. *See* Sister chromatid
adhesion
Chromosome
organization in bacteria, 108–111
structure and replication timing, 115–116
Cidofovir, 508
Cig2, 366
Clamp loader
composition and architecture
Archaea, 170–171

- bacteria, 168
- bacteriophage T4, 169–170
- replication factor C, 170
- DNA-dependent ATPase activity, 171–172
- mechanism of action
 - closure of clamp ring, 175–176
 - opening of clamp ring, 172–174
 - PT junction binding, 174–175
- prospects for study, 177
- unloading, 176–177
- Clamp. *See specific clamps*
- Clb2, 364, 366
- Cln2, 364
- CMX001, 508
- Cohesin
 - acetylation, 227–228
 - attachment regions on genome, 224–226
 - coevolution of acetylation and Wapl-mediated release from DNA, 230–231
 - CTCF recruitment and chromatin structure effects, 225–226
 - loading onto DNA, 221, 223–224
 - removal from mitotic chromosomes, 229
 - separase cleavage, 231–232
 - sister chromatid adhesion role, 226–227
 - sororin stabilization, 228–229
 - structure, 220–222
 - Wapl in release from DNA, 229–230
- Comparative genomics, prediction of new replication machinery components, 434
- CRL4
 - antireplication mechanisms, 315–316
 - endocycle role, 402
- Ctc1, 302
- CTCF cohesin recruitment, 225–226
- Ctf4, 9, 278
- Cut5, 366
- Cyclin A, endocycling role, 405–406
- Cyclin D, 38
- Cyclin-dependent kinases (CDKs)
 - antireplication mechanisms, 312–313
 - cell cycle control of replication initiation metazoans, 371
 - Saccharomyces cerevisiae*
 - origin firing, 365
 - origin licensing, 364–365
 - pre-replication complex assembly, 364
 - Schizosaccharomyces pombe*
 - origin firing, 367
 - origin licensing, 366–367
 - unperturbed cell cycle, 362–364
 - endocycle driving by cyclin E-CDK2 oscillation, 401, 403
 - G phase suppression, 404–405
- Cyclin E, 38, 401, 403
- D**
- Dam methylase, 352
- Dap, 404
- DARS1, 348–349
- DARS2, 348–349
- datA*, 349
- Dbf4, 311
- Dbf4-dependent kinase. *See* DDK
- Dbh, 258
- Dbp11, 7, 427
- DDK, 427–428
 - antireplication mechanisms, 310–312
 - Cdc45 association with origins, 83–84
 - origin firing control
 - overview, 365–366
 - yeast, 365–366
- Deoxyuridine triphosphatase, 505
- DiaA, 350
- DinB, 258
- Dna2, 190, 192–193
- DnaA, 18, 20, 47
 - domains, 63–64
 - helicase loading, 66–67
 - regulation
 - Bacillus subtilis*, 352–353
 - Caulobacter crescentus*, 353
 - Escherichia coli*
 - acidic phospholipid regulation, 349–350
 - binding to sites other than *oriC*, 349
 - coordinated regulation of *oriC* and DnaA, 352
 - DARS function, 349
 - multimer formation regulation by DiaA, 350
 - nucleotide form regulation by RIDA, 350–352
 - overview, 348
 - transcription, 348–349
 - unwinding of *oriC*, 66
- DnaB, 5, 7, 48, 64–66, 157, 429
- DnaC, 5, 7, 18, 47
 - DnaB complex and regulation of DnaB, 64–66
 - regulation of DnaB, 66
- DNA damage
 - break-induced replication. *See* Break-induced replication
 - DNA replication and cancer
 - cellular responses, 317–320
 - double-strand break repair, 319
 - overview, 317
 - point mutations and microsatellite instability, 320
 - replication fork rescue, 319–320
 - parvovirus-induced DNA damage responses, 463–465
 - prospects for study, 465–466
 - replication comparison between bacteria, Archaea, and eukaryotes, 9–10
 - sister chromatid adhesion induction, 229

Index

- DNA damage (*Continued.*)
translesion synthesis. *See* Translesion synthesis
- DnaG, 429
- DNA ligase
evolution, 431–432
poxvirus, 532–533
- DNA polymerase. *See also specific polymerases*
adenovirus, 490–491
archael and eukaryotic replication system
comparison, 417
classification of replicative polymerases, 237–238
evolution, 430–43
fidelity of replicative polymerases, 245–246
herpes simplex virus, 502–503, 506–507
inhibitors, 246
poxvirus, 529–530, 533
structure of replicative polymerases
overview, 239–240
quaternary structure
Archaea, 242–244
bacteria, 240–242
eukaryotes, 244–245
subunits of replicative polymerases, 238
translesion synthesis polymerases. *See* Translesion synthesis
- DNA polymerase I, 237, 241–242
- DNA polymerase II, 254, 257, 261
- DNA polymerase III, 8, 240, 242, 257
- DNA polymerase IV, 254, 257
- DNA polymerase V, 256–257, 262, 264
- DNA polymerase α , 244, 383–384
- DNA polymerase B, 243
- DNA polymerase β , 241
- DNA polymerase C, 246
- DNA polymerase δ , 188–190, 244–246, 383–384
- DNA polymerase ϵ , 188, 244–245, 383–384
- DNA polymerase γ , mutation and disease, 329–331
- DNA polymerase η , 258, 261–262, 279
- DNA polymerase ζ , 246, 258
- Dormant origin. *See* Origin
- Double-strand break. *See* DNA damage
- Dpb2, 245
- Dpb3, 245
- Dpb4, 245
- Dpb11, 281, 315, 370
- Drc1, 85–86, 367
- DS, 515–518
- DUE-B, pre-initiation complex formation role, 89
- Dup, 407
- E**
- E1. *See* Human papillomavirus
- E1A, 493
- E2. *See* Human papillomavirus
- E2F1, endocycle role, 401–403, 406
- E6. *See* Human papillomavirus
- E7. *See* Human papillomavirus
- EBNA1, 513–518
- EBV. *See* Epstein–Barr virus
- ELYS, 39
- Endocycle. *See* Endoreplication
- Endoreplication
endocycles
CDK suppression during G phase, 404–405
cell types, 400–401
core oscillator, 401–403
cyclin A role, 405–406
driving by cyclin E-CDK2 oscillation, 401
endoreplication suppression during endocycles,
403–404
origin recognition complex role, 405
initiation
Drosophila, 406–407
mammals, 408–410
overview, 399–400
plant development, 388–390
prospects for study, 410
- Epigenetics
histone modifications in state maintenance, 204–207
plant replication origins, 386
replication fork dynamics, 206–207
replication timing, developmental control, and
stable epigenetic states, 130–131
- Epstein–Barr virus (EBV)
FR, 514–515
origin recognition complex, 517
origins of replication
DS, 515–518
oriLyt and supporting proteins, 519–522
oriP
features, 513–514
supporting proteins, 516–518
Raji ori, 518
- Est1, 299–300
- F**
- FANC genes, 278, 320
- FEN1. *See* Flap endonuclease 1
- FGF4, 408
- Fis, 18
- Flap endonuclease 1 (FEN1), 395, 417, 431
Okazaki fragment processing, 189–192
posttranslational processing, 192–193
- FR, 514–515
- Fzr, 403
- G**
- Gcn5, 210
- GEM, 382, 387

- GEMC1, 389, 70
Geminin, 409–410
 antireplication mechanisms, 315–316
 cancer marker, 334
 Cdt1 interactions, 369
Geminivirus, DNA replication, 390
Gene databases, table, 539
Genomic instability. *See* Cancer
Genotoxic stress, DNA replication control, 364
gidA, 348
GINS, 5, 7–9, 311–312, 335, 383
 cyclin-dependent kinase-dependent association of
 GINS with origins, 84–85
 evolution, 424
 MCM interactions, 102
- H**
- Haspin, 232
Hbo1, 210, 368
Hda, 350–354
Hdac11, 368
Helicase. *See also specific helicases*
 activation. *See* Pre-initiation complex
 herpes simplex virus, 503
 loading
 comparison between bacteria, Archaea, and
 eukaryotes, 4–6, 73–74, 73–74
 Escherichia coli, 62–66
 eukaryotes, 67–73, 361–362
 overview, 61–62
 origin
 firing and activation, 362
 licensing and helicase loading, 361–362
 poxvirus, 530–531
Herpes simplex virus (HSV)
 classification, 499
 DNA replication
 auxiliary factors, 504–505
 concatamer formation, 507–508
 DNA polymerase, 502–503, 506–507
 elongation, 506–507
 genes and functions, 504
 helicase, 503
 ICP8 role, 500–502, 505–506
 initiation, 505–506
 origin, 500
 origin-binding protein, 503–504
 primase, 503
 prospects for study, 509
 sites, 508
 therapeutic targeting, 508–509
 genome features, 499–500
HIRA, 200, 202
Histones. *See* Chromatin
HJURP. *See* Holliday junction recognition protein
HITE, 278
Holliday junction, resolution in break-induced
 replication, 54
Holliday junction recognition protein (HJURP), 202
HP1, 367
HPV. *See* Human papillomavirus
Hsk1, 366
HSV. *See* Herpes simplex virus
Human papillomavirus (HPV)
 clinical spectrum of infection, 469–470
 DNA replication
 E1 role, 472–473
 E2 role, 472–473
 initiation in G2, 475–476
 S-phase reentry induction by E7, 473–475
E6
 life cycle role, 476–427
 oncoprotein properties, 474
epithelial cell organotypic culture, 474–475
genome organization, 471–472
host tissue, 471
keratinocyte organotypic culture, 475
management, 470
oncogenesis
 DNA integration in cervical cancer and clonal
 selection, 478–479
 E1 role, 479
 E2 role, 479
 immune surveillance downregulation by
 oncoproteins, 479–480
 overview, 470–471
 prospects for study, 480
 virus attributes and models, 477–478
productive program modulation
 p21, 477
 p27, 477
 pseudovirions, 475
Hus1, 318
- I**
- ICP8, 500–502, 505–506
INDHS, 18
- K**
- Ki67, 334
Ku, 319
Ku70, 454
Ku86, 454
- L**
- Last universal common ancestor (LUCA), 416
LexA, 253
Licensing. *See* Origin

Index

- Licensing checkpoint, 38–40
LIG1, 385–386
LR1, 517
LR2, 517
LUCA. *See* Last universal common ancestor
- M**
- MCB1, 367
Mcb1, 366
MCM complex. *See* Minichromosome maintenance complex
Mcm2, 210
MCM2–7
 antireplication mechanisms, 314–315
 cancer markers
 advantages, 334–335
 cervical cancer, 335–337
 colorectal cancer, 337–338
 detection of cells, 335
 sensitivity, 332–333
 gate function, 101–101
 licensing checkpoint, 38, 40
 loading
 ATP role, 71
 comparison with bacteria, 73–74
 components, 68–70
 gate function and implications for loading, 71–72
 initial recruitment, 69
 model, 72–73, 103
 origin recognition, 69
 overview, 67–68
 recruited helicases, 70
 regulation and dynamics, 72
 structure of loaded helicase, 70–71
 mutation and disease, 331–332
 organization, 100–101
 overview, 4–5
 plants, 382
Mcm4, mutation and disease, 331–332
MCM8, 383
MCM9, 383
MCM10, 7, 383, 425, 427
Mcm10, 85, 278, 277, 370–371, 425, 427
Meier–Gorlin syndrome, 331
Microhomology-mediated break-induced replication (MM-BIR), 56–57
Microsatellite instability, cancer studies, 320–321
Minichromosome maintenance (MCM) complex.
 See also MCM2–7
 cancer markers
 advantages, 334–335
 cervical cancer, 335–337
 colorectal cancer, 337–338
 detection of cells, 335
 sensitivity, 332–333
 evolution, 423–424
 GINS interactions, 102
 structure in Archaea
 hairpins, 97–99
 intersubunit communication, 99–100
 overview, 95–97
Minute virus of mice. *See* Parvovirus
mioC, 348
Miribavir, 508–509
Mitochondrial DNA (mtDNA), replication
 coupled leading- and lagging-strand synthesis, 447–448
 genome features, 441–442
 initiation, 448–450
 machinery, 451
 mutant DNA replication and selection, 451–452
 nuclear DNA mutations affecting, 452
 prospects for study, 452–453
 RitalicOLS model of RNA incorporation, 444–446, 449
 strand-displacement mechanism, 442–444
 termination, 450–451
MLN4924, 321
MM-BIR. *See* Microhomology-mediated break-induced replication
Mrc1, 9
MRE11, 464
Mre11, 276, 297–298
mtDNA. *See* Mitochondrial DNA
mTERF, 452
MukB, 230
Mus81, 280
MYB, 367
- N**
- NAP1, 201
NASP. *See* Nuclear autoantigenic sperm protein
Nbs1, 298
NFI, 492
Nomenclature
 replication proteins in different organisms, 541–550
 style conventions for genes and proteins, 540
Notch, 406
NS1, 460
Nuclear autoantigenic sperm protein (NASP), 202
Nucleoid
 chromosome organization in bacteria, 108–111
 spatial organization of replication, 111–114
Nucleosome. *See* Chromatin
Nucleus
 replication program structure, 114
 replication visualization, 114–115

- spatial and temporal organization of replication, 112–114
- Nuff, 434
- O**
- OBP. *See* Origin-binding protein
- Oct-1, 489, 492
- Okazaki fragment
 - coordination of leading- and lagging-strand synthesis, 154–158
 - lagging-strand template lesions, 272
 - overview, 8, 148, 185
 - primase transfer to DNA polymerase, 188
 - priming of lagging strand, 187–188
 - processing
 - fragment size effects, 189
 - long flap pathway, 190
 - long patch base excision repair similarities, 192
 - minimal enzymes, 188–189
 - posttranslational processing of replication proteins
 - acetylation, 193–194
 - phosphorylation, 192–193
 - short flap pathway, 189–190
 - RNase H function in prokaryotes and eukaryotes, 186–187
- ORC. *See* Origin recognition complex
- ORC1, 25, 39, 331
- Orc1, 368, 382, 405
- Orc2, 313, 405
- ORC4, 39, 69, 331
- ORC6, 39, 68, 331
- Orc6, 366
- ORCA, 69
- OriC*, 20–21, 62
 - Escherichia coli*
 - sequestration of origin, 346–348
 - transcription at or near origin, 348
 - DnaA binding. *See* DnaA
- Origin
 - Archaea, 20–21
 - bacteria
 - pre-replication complex assembly role, 18, 20
 - sequence comparison between species, 17–20
 - chromatin regulation
 - histone modification, 209–211
 - nucleosome positioning in origin selection, 211–212
 - overview, 208–209
 - comparison between bacteria, Archaea, and eukaryotes, 2–4
 - dormant origins
 - licensing checkpoint, 38–40
 - overview, 33–35
 - replication factories, 36–37
 - Escherichia coli*
 - sequestration of origin, 346–348
 - transcription at or near origin, 348
 - Epstein–Barr virus
 - DS, 515–518
 - oriLyt* and supporting proteins, 519–522
 - Raji ori, 518
 - eukaryotes
 - metazoans
 - chromatin organization, 25–26
 - organization, 23–24
 - sequence specificity, 24
 - overview, 21
 - yeast
 - chromatin environment, 22–23
 - sequence specificity, 21–22
 - firing in eukaryotes
 - helicase activation, 362
 - metazoans, 370–371
 - plants, 387–388
 - Saccharomyces cerevisiae*
 - cyclin-dependent kinase control, 365
 - DDK control, 365–366
 - Schizosaccharomyces pombe*, 367
 - helicase loading. *See* Helicase
 - herpes simplex virus, 500
 - licensing in eukaryotes
 - cyclin-dependent kinase control
 - Saccharomyces cerevisiae*, 364–365
 - Schizosaccharomyces pombe*, 366–367
 - helicase loading, 361–362
 - metazoans, 368–370
 - plant properties, 386–387
 - recognition regulation in metazoans, 367–368
- Origin-binding protein (OBP), herpes simplex virus, 503–504
- Origin recognition complex (ORC)
 - antirereplication proteins, 313
 - archael and eukaryotic replication system
 - comparison, 417
 - endocycling role, 405
 - Epstein–Barr virus, 517
 - evolution, 418–423
 - overview, 4, 16, 18
- oriGNAI3*, 36
- oriLyt*, Epstein–Barr virus
 - features, 519–520
 - supporting proteins, 520–522
- oriP*, Epstein–Barr virus
 - features, 513–514
 - supporting proteins, 516–518
- Orp2, 313, 366
- Orp4, 366

Index

P

- p16, 478
- p21, 405, 408–409, 477
- p27, 477
- p53, 37–38, 315–316, 474, 476–477
- p57, 405, 408–409
- p300 acetylase, 193
- PACE12, 434
- ParA, 353
- ParB, 353
- PARP. *See* Poly(ADP-ribose) polymerase
- ParS, 353
- Parvovirus
 - classification, 458
 - DNA replication mechanism, 457–458
 - genome, 457
 - genomic diversity, 458–462
 - induced DNA damage responses, 463–465
 - productive infection establishment, 462–463
- PCNA. *See* Proliferating cell nuclear antigen
- Pds5, 229
- Pif1, 190–192
- PiSL, 428
- Plk1, 230, 313
- Poly(ADP-ribose) polymerase (PARP), 278
- Pot1, 294, 301–302
- Poxvirus
 - DNA packaging, 533–535
 - DNA precursor metabolism, 528–529
 - DNA replication
 - A20, 531
 - concatemer resolution, 532–533
 - DNA ligase, 532–533
 - DNA polymerase, 529–530, 533
 - helicase-primase, 530–531
 - models, 533
 - prospects for study, 535
 - single-stranded DNA-binding protein, 532
 - sites, 527–528
 - therapeutic targeting, 535
 - threonine protein kinase, 531–532
 - timing, 527
 - uracil DNA glycosylase, 531
 - genome, 528–529
 - overview, 527
 - recombination, 533
- Poz1, 301
- Pre-IC. *See* Pre-initiation complex
- Pre-initiation complex (Pre-IC)
 - metazoan formation
 - DUE-B, 89
 - GEMC1, 89
 - overview, 86–87
 - RecQ4, 88–89
 - regulation, 89–90
 - TopBP1, 87–88
 - Treslin/Ticrr, 88
 - overview of formation, 81–82, 90–91
 - Saccharomyces cerevisiae* formation
 - components, 82–83
 - cyclin-dependent kinase-dependent association of GINS with origins, 84–85
 - DDK-dependent association of Cdc45 with origins, 83–84
 - Mcm10 loading, 85
 - Schizosaccharomyces pombe* formation, 85–86
- Pre-RC. *See* Pre-replication complex
- Pre-replication complex (Pre-RC)
 - assembly inhibition, 310
 - cell cycle regulation, 364
 - evolution, 418–423
 - mutations and disease, 331
 - plants, 382
- PriA, 47–48, 52, 276–277, 281
- PriC, 276–277
- Primase
 - archael and eukaryotic replication system
 - comparison, 417
 - evolution, 428–429
 - herpes simplex virus, 503
 - poxvirus, 530–531
 - priming comparison between bacteria, Archaea, and eukaryotes, 6
 - transfer to DNA polymerase, 188
- Proliferating cell nuclear antigen (PCNA), 11, 188–189, 275, 334, 367
 - Cdt1 interactions, 315
 - endocycle role, 402
 - evolution, 429–430
 - FEN1 interactions, 189
 - loading. *See* Clamp loader
 - plants, 384–385
 - posttranslational processing, 192
 - replication fork epigenetics, 20
 - structure
 - crystal structures, 165–167
 - solution structures, 167–168
 - unloading, 176
 - Y-family polymerase interactions, 262

R

- Rad1, 318
- Rad9, 318
- Rad17, 318
- RAD30, 258, 262
- Rad50, 297–298
- RAD51, 276, 280, 390
- Rad51, break-induced replication in yeast
 - double-strand break dependent replication, 49–50
 - double-strand break independent replication, 50–51
 - initiation of DNA synthesis, 52–53

- recombination-mediated establishment of replication, 52
 - transformation, 49
 - Rad52, 279
 - Raji ori, 518
 - Rap1, 294–295, 300–301
 - RAPADILLINO syndrome, 328–329
 - Rat1, 294
 - Raz1, 294
 - Rb, endocycle role, 403
 - RecA, 253, 256, 281
 - RecBCD, 47–48
 - RecJ, 425–426
 - recQ helicases, mutation in disease, 328–329
 - RecQ4, pre-initiation complex formation role, 88–89
 - Regulatory inactivation of DnaA (RIDA), 348, 350–352
 - ReiA, 353
 - Rep, 276
 - Replication cycle
 - bacteria, 343–346
 - eukaryotes, 361–362
 - Replication factor C (RFC), 9, 158, 188, 279
 - archael and eukaryotic replication system comparison, 417
 - evolution, 430
 - plants, 385
 - structure, 170
 - Replication fork dynamics
 - chromatin disruption, 202–204
 - coordination of leading- and lagging-strand synthesis, 154–158
 - epigenetics, 206–207
 - experimental techniques
 - fluorescence imaging, 149
 - imaging *in vivo*, 149–150
 - mechanical stretching, 148–149
 - histones, 199–200
 - overview, 47–48
 - plants, 383–386
 - prospects for study, 158–159
 - replisome architecture, 150–154
 - Replication fork rescue
 - breakdown consequences, 276
 - cancer, 319–320
 - lagging-strand template lesions, 272
 - leading-strand template lesions, 272–276
 - overview, 271
 - pathways for reactivation
 - direct restart, 277–278
 - recombination-mediated restart, 278–281
 - remodeling of fork, 278
 - prospects for study, 281
 - Replication origin. *See* Origin
 - Replication protein A (RPA), 9, 158, 188, 190, 193, 319, 385, 417, 432–434
 - Replication timing
 - chromatin
 - chromatin interaction map studies of timing, 134–135
 - G₁ determinant loss before G₂, 133
 - protein roles, 131–132
 - replication foci as cytogenetic unit of timing, 133–134
 - spatial compartmentalization of early and late replication, 132
 - subnuclear position changes and cell fate transitions, 133
 - chromosome structure and replication timing, 115–116
 - developmental control and stable epigenetic states, 130–131
 - genome size effects, 126
 - genome-wide replication profiles
 - interpretation, 122, 126–128
 - species and cell lines in studies, 123–127
 - nucleus and spatial and temporal organization of replication, 112–114
 - overview, 121–122
 - sequence dependence, 128–130
 - transcription relationships, 130
 - Replisome
 - architecture and replication fork dynamics, 150–154
 - comparison between bacteria, Archaea, and eukaryotes, 7–9
 - Rev1, 258, 261
 - Rev3, 258
 - RFC. *See* Replication factor C
 - RIDA. *See* Regulatory inactivation of DnaA
 - Rif1, 132, 300
 - Rif2, 300
 - RIP1, 505
 - RitalicOLS. *See* Mitochondrial DNA
 - RNase H, 186–187, 445
 - Rothmund–Thompson syndrome, 328–329
 - RPA. *See* Replication protein A
 - Rrm3, 296
 - Rtt107, 281
 - RuvC, 532–533
- S**
- Scc1, 232
 - Separase, 231–232
 - SeqA, 346–347
 - Set8, 368
 - Sic1, 364
 - Single-stranded DNA-binding proteins (SSBs)
 - evolution, 432–434
 - poxvirus, 532
 - SirA, 353
 - Sister chromatid adhesion

Index

- Sister chromatid adhesion (*Continued.*)
 cohesin
 acetylation, 227–228
 attachment regions on genome, 224–226
 coevolution of acetylation and Wapl-mediated release from DNA, 230–231
 CTCF recruitment and chromatin structure effects, 225–226
 loading onto DNA, 221, 223–224
 removal from mitotic chromosomes, 229
 separate cleavage, 231–232
 sister chromatid adhesion role, 226–227
 sororin stabilization, 228–229
 structure, 220–222
 Wapl in release from DNA, 229–230
 double-strand break induction, 229
 essential proteins, 227
 overview, 219–220
 prospects for study, 232–233
 sororin role, 228–229
- Six4, 280
Siz2, 300
Skp2, 314
Sld2, 7, 315, 365, 428
Sld3, 7, 85–86, 315, 365–367, 427
SLD7, 367
Smc3, 232
Sna41, 366
Soj, 353
Sororin, 228–229
S-phase
 extended S-phase rationale, 138–139
 human papillomavirus E7 and reentry induction, 473–474
 progression regulation, 116–118
 sister chromatid adhesion. *See* Sister chromatid adhesion
- SSBs. *See* Single-stranded DNA-binding proteins
Stn1, 213, 302
String, 406
SV40, replication overview, 187
- T**
- Taz1, 296, 301
Tbfl, 298
Tel1, 297–298, 300–301
Telomerase
 components, 295
 recruitment, telomere extension, and length homeostasis
 mammals, 301–303
 Saccharomyces cerevisiae, 298–300
 Schizosaccharomyces pombe, 300–301
- Telomere
 components
 mammals, 291–292, 294–295
 Saccharomyces cerevisiae, 288–290, 293–294
 Schizosaccharomyces pombe, 290, 294
 history of study, 287–288
 maintenance in break-induced replication, 51–52
 replication. *See also* Telomerase
 end resection, 297–298
 prospects for study, 303
 semiconservative replication, 296–297
- Temporal transition region (TTR), 23, 122, 126, 128
Ten1, 213
TERRA, transcription, 294–295
TFAM, 452
Thymidine kinase, 504, 528
Timing. *See* Replication timing
Tin2, 294
Tlc1, 300
TLS. *See* Translesion synthesis
TopBP1, pre-initiation complex formation role, 87–88
Topoisomerase, vaccinia virus, 533
Tpp1, 294, 301–303
TPR1, 490–491
TPR2, 490–491
Translesion synthesis (TLS)
 DNA damage-induced regulation of gene expression in bacteria, 253
 Escherichia coli
 DNA polymerase II, 254, 257
 DNA polymerase IV, 254, 257
 DNA polymerase V orthologs, 256–257
 early models, 254
 ultraviolet mutagenesis model, 255
 Umu protein characterization, 254, 256
- polymerases
 Archaea, 257–258
 domain organization, 263
 eukaryotes, 258–259
 evolutionary conservation, 258–259
 overview, 9, 251, 253
 regulation, 261–262
 structural insights and mutagenic specificity, 259–261
 types, 252–253
 prospects for study, 262, 264
 replication fork rescue. *See* Replication fork rescue
- Treslin/Ticrr, pre-initiation complex formation role, 88
Trf1, 294, 296
Trf2, 294, 298
TTR. *See* Temporal transition region
TWINKLE, mutation and disease, 329–331, 452
- U**
- UmuC, 254, 258
UmuD', 254

UR1, 516
Uracil DNA glycosylase, 505, 531

V

Vaccinia virus. *See* Poxvirus

W

Wapl, 229–231
WEN. *See* Werner syndrome

Werner syndrome (WRN), 328
WSTF, 203

X

Xrs2, 297

Y

YabA, 354
Y-family polymerases. *See* Translesion synthesis

**This is a free sample of content from DNA Replication.
Click here for more information or to buy the book.**