

Index

Page references followed by f denote figures; those followed by t denote tables.

A

- ABC model of flower development, 112–115
- Actin microfilaments, 58f, 59, 94, 96, 133
- Activation energy, 72, 133
- Activator, 31, 31f–32f, 33, 85, 106, 133
- Active site, 72, 73f, 133
- Adapters, 21, 133
- Additive genetic interaction, 115, 133
- Adenine, 4, 4f–5f
- Adenosine, in poly(A) tails, 29
- Adenosine diphosphate (ADP), 52–53, 52f, 54f–55f, 133
- Adenosine triphosphate (ATP)
 - defined, 133
 - in glycolysis, 53–54, 54f–55f
 - synthesis in Krebs cycle, 54, 56f
 - synthesis in photosynthesis, 52, 52f
 - use in Calvin cycle, 52, 53f
- Affymetrix, 38, 133
- Agamous* (*ag*) mutation, 111–114, 111f, 112t, 113f–115f, 133
- Agarose, 15
- Alleles, 14, 133
- Alon, Uri, 86
- α -helix, 70, 134
- Alternative splicing, 14, 41–42, 41f, 134
- A/lu* retrotransposons, 124, 134
- Amino acids
 - defined, 134
 - genetic code and, 12–13, 12f
 - peptide bond between, 70, 143
 - protein structure and, 70–71, 71f–72f
 - role in translation, 68–69, 68f–69f
- Amino-acyl site, 69, 69f, 134
- Anaphase-promoting complex (APC), 92–93, 93f, 95f, 134
- Annealing, 8–9, 19, 20f, 134
- Antibodies, 84
- Anticodon, 68–69, 69f, 134
- Antisense oligonucleotides, morpholino, 106
- APC (anaphase-promoting complex), 92–93, 93f, 95f, 134
- Apes, humans compared to, 121
- Apetala2* (*ap2*) mutation, 111–114, 111f, 112t, 113f–115f, 134
- Apetala3* (*ap3*) mutation, 111–114, 112–115f, 112t, 134
- Apoptosis (programmed cell death), 79–80, 79f, 134
- Arabidopsis thaliana*
 - described, 134
 - flower organization, 110–114, 110f–115f, 112t
 - as model organism, 104
 - oscillating expression of genes in roots, 101f–102f
 - root development in, 107–108, 108f
- Asymmetric division, 95, 134
- ATP synthase, 52f

Attractor, 99, 99f, 134
Autocrine signaling, 74, 134

B

Balancing selection, 127, 134
Bar codes, 42
Basal transcription, 32, 134
Bases
 complementarity of, 5–7, 6f–8f
 described, 4, 4f, 134
 in DNA sequencing reactions, 17, 18f
 genetic code, 12, 12f
 RNA, 28–29
Basic local alignment search tool (BLAST),
 24, 135
Beam lines, 88, 135
Behavior, genes involved in, 127
Bell curve, 110, 135
 β -galactosidase, 30–31
 β -sheet, 70, 135
Biological oscillators
 cell cycle, 89–99
 circadian rhythm, 89, 100, 101f
 cyclin–CDK interaction, 91–99, 92f–95f, 98f
 molecular networks underlying circadian, 100
 negative-feedback oscillator, 92–93, 93f
 networks controlling, 89–102
 positioning lateral roots, 100–102,
 101f–102f
 testing cyclin–CDK model, 96–98, 98f
Biological replicate, 42, 135
Biologicals, 87, 135
BLAST (basic local alignment search tool),
 24, 135
Body plan, 135
Boolean, 98–99, 99f, 135
Brains, of humans and chimpanzees
 compared, 124

C

Caenorhabditis elegans
 cell division in, 95–96
 described, 135
 as model organism, 104
 noncoding RNAs in, 34
 RNA interference in, 96
Calmodulin (calcium-modulated protein),
 77, 135
Calvin cycle, 52–53, 53f
cAMP, 77
Cancer, 75, 76–77, 78, 89

Candidate gene, 118, 135
Capecchi, Mario, 105
Capping, 30, 70, 135
Carbon dioxide, fixation of, 53, 53f
Carpels, 110–112, 110f–114f, 112t, 114, 135
Catalytic, 72, 135
CDK (cyclin-dependent kinase), 92–94, 92f–93f,
 95f, 96–97, 99, 135, 136
cDNA. See Complementary DNA
Celera, 18
Cell cycle, 89–99
 control of, 91–95, 92f–95f
 cyclin–CDK interaction, 91–99, 92f–95f, 98f
 defined, 135
 described, 89–91
 dynamics of networks regulating, 98–99, 99f
 microarray analysis of progression, 40, 40f
 mutations that disrupt, 91
 phases, 90, 90f
Cell division, 59, 94–95
 asymmetric, 95, 108
 in *Caenorhabditis elegans*, 95–96
 cancer and, 89
 reverse genetics and, 95–96
Cells
 compartmentalization of functions, 45–47
 high-throughput microscopy for imaging
 cellular responses, 60–61, 61f–62f
 metabolic network in, 54–55, 57f, 58
 minimum number of genes for function of
 cells, 62–63
 organelles, 46f, 49–51, 50f–51f
 shape maintenance, 58–59, 58f
 synthetic, 63
Cellular state, 60, 135
CentiMorgan (cM), 116, 135
Central dogma, 3, 68, 135
Centromeres, 94, 135
Chain-termination sequencing, 17, 18f, 135
Chaperonins, 71, 136
Chemical reactions, protein catalysis of,
 71–73, 72f
Chemokine receptor, 127, 136
Chemotherapy, 89
Chimpanzee, genetic differences from humans,
 121–124, 122f, 123t
Chlorophyll, 49, 52
Chloroplasts
 described, 136
 DNA in, 49, 51
 photosynthesis in, 49, 51f–53f, 52–53
 structure of, 49, 51f
ChIP-Seq, 85, 136
Cholesterol, in membranes, 47
Chromatids, 94, 136

- Chromatin, 35, 136
Chromatin immunoprecipitation sequencing, 85, 136
Chromatin-remodeling enzymes, 35, 36f, 136
Chromosomes
 in cell division, 94–95
 described, 13, 136
 human and chimpanzee compared, 121–122
 quantitative trait loci (QTLs), 117–118, 145
 repetitive elements in, 124
Circadian rhythm, 89, 100, 101f
Circuit diagram, of development in sea urchin, 106, 107f
cis-elements, 30, 31, 136
cis-regulatory code, 34, 136
cM (centiMorgan), 116
CNV (copy number variation), 124–125, 136
Codons, 12–13, 12f, 68–69, 136
Cognition, genes involved in, 127
Complementary DNA (cDNA)
 defined, 135
 generating with reverse transcriptase, 38
 library, 41–42
 microarrays, 38–39
Complex traits, 109–119
 Arabidopsis flower organization example, 110–114, 110f–115f, 112t
 defined, 136
 environmental factors, role of, 115–116
 gene identification, 117–118
 gene interactions, 110–115f
 heritability of, 110
 mapping of genes involved in, 116–117
 prevalence of, 109
 systems biology and analysis of, 118–119
 testing a multigene model, 113–115
Confocal microscopy, 60–61, 61f, 136
Conformation, 72, 136
Continuous distribution, 110
Contractile ring, 94, 136
Copy number variation (CNV), 124–125, 136
Crick, Francis, 3, 5
Cristae, 49, 50f, 136
cRNA, 38–39, 136
Crohn's disease, 117–118, 136
Cyanobacteria, 51
Cyclin, 91–99, 92f–95f, 98f, 136
Cyclin-dependent kinase (CDK), 92–94, 92f–93f, 95f, 96–97, 99, 135, 136
Cytokines, 74, 74f, 137
Cytokinesis, 90, 94, 96, 137
Cytoplasm, 45, 46f, 137
Cytoplasmic domain, 74, 137
Cytosine, 4, 4f–5f
Cytoskeleton, 58–59, 58f, 137
- D
- Dairy products, evolution of adult tolerance to, 126
DARC (Duffy antigen/chemokine receptor), 127
Dario rerio, 104, 137
Denticle belts, 104, 137
Deoxyribonucleic acid. *See* DNA
Development
 body plan, 104
 circuit diagram, 106, 107f
 defined, 103, 137
 homeobox genes, 104–106
 how scientists study, 103–104
 model organisms, 103–104
 in plants, 106–108, 108f
 in sea urchin, 106, 107f
 transcriptional networks in, 103–108
Diabetes, adult-onset, 115–116
Dideoxynucleotides, 17, 137
Differential-equation-based modeling, 129
Differentiation, 59–60, 137
Diploid genome, 116, 137
Disulfide bridge, 71, 137
DNA (deoxyribonucleic acid), 3–25
 in chloroplasts, 49, 51
 in chromosomes, 13
 complementary DNA (cDNA), 38–39, 41–42
 defined, 137
 fragment separation by gel electrophoresis, 15, 16f
 genes, 13–14
 information storage in, 12–13
 junk, 24
 major groove, 33
 in mitochondria, 49, 51
 repetitive DNA elements, 25, 124, 145
 RNA expression, role of global DNA structure in, 34–36, 35f–36f
 role of, 27
 single-stranded, 7
 structure, 3–5, 4f–6f, 34–36, 35f–36f
 template for RNA synthesis, 28–30, 29f
DNA-binding domain, 33, 33f, 137
DNA ligase, 10f, 11, 137
DNA methylation, 35–36
DNA polymerase
 defined, 137
 in DNA replication process, 7–8, 7f–8f, 10–11, 10f–11f
 in PCR, 19, 20f
 in Sanger DNA sequencing, 17
DNA primase, 10f, 11, 137

DNA replication, 5–11, 7f–11f
 defined, 137
 lagging-strand, 10f–11f, 11, 140
 leading-strand, 11, 11f, 140
 semiconservative, 9, 9f, 146
 S phase of cell cycle, 90, 90f, 94, 96–97, 98f, 146

DNA sequencing
 analysis of sequence data, 23
 chain-termination sequencing, 17, 18f
 changing methods, 19, 21
 finishing, 18
 454 sequencing, 21
 genome, 15, 17–19, 24–25
 of human genome, 17–18
 Illumina sequencing, 22
 massively parallel signature sequencing (MPSS), 41
 next-generation sequencing, 19, 21–23, 22f, 125
 production, 18
 pyrosequencing, 21, 22f
 read-lengths, 22
 single-molecule sequencing technologies, 22–23
 what we have learned from genome sequencing, 24–25
 whole-genome shotgun, 18–19, 148

Dominant mutation, 104

Double-stranded RNA (dsRNA), 96, 137
Drosophila melanogaster, 104, 137

Drug discovery, 88

dsRNA (double-stranded RNA), 96, 137

Duffy antigen/chemokine receptor (*DARC*), 127, 137

E

EGF (epidermal growth factor) receptor, 75, 76f

Electron transport chain, 52, 52f, 137

Electrospray ionization (ESI), 80–81, 81f, 137, 138

Elongation, in transcription, 29, 137

Embryogenesis, in *Caenorhabditis elegans*, 95–96

Embryonic stem cells (ES cells), 59–60, 138

EMS (ethyl methanesulfonate), 91, 138

ENCyclopedia Of DNA Elements (ENCODE), 125, 138

Endocytosis, 47, 138

Endoplasmic reticulum, 49

Energy generation in cells, 51–54, 52f–56f

Enhancers, 31–32, 32f, 138

Entrained, 100, 138

Environment
 affect on transcription, 33–34
 role in complex disease traits, 115–116

Enzymes, 7, 72–73, 73f, 138. *See also specific enzymes*

Epidermal growth factor (EGF) receptor, 75, 76f

Epigenetic, 35–36, 138

Epilepsy, temporal lobe, 127

Epistatic, 115, 138

ES cells (embryonic stem cells), 59–60, 138

ESI (electrospray ionization), 80–81, 81f, 137, 138

Ethanol, generated by fermentation, 54

Ethyl methanesulfonate (EMS), 91, 138

Eukaryotic cells
 defined, 29–30, 138
 mRNAs in, 29–30, 70

Even-skipped mutation, 104, 138

Evolution, human, 121–127

Exit site, 69, 69f, 138

Exocytosis, 47, 138

Exons, 14, 14f, 41–42, 41f, 138

Extracellular domain, 73, 138

F

Feedforward loop, 86–87, 86f, 138

Fermentation, 54, 138

Flower organization in *Arabidopsis*, 110–114, 110f–115f, 112t

Folding, 70–71, 71f–72f, 138
 454 sequencing, 21

Franklin, Rosalind, 3

G

G₁ (first gap phase), 90, 90f, 138

G₂ (second gap phase), 90, 90f, 138

Gal 4 transcription factor, 82

GATA1 transcription factor, 127

Gel electrophoresis, 15, 16f, 138

Gene(s), 13–14
 alleles, 14
 candidate, 118
 in complex traits, 109–119
 copy number variation (CNV), 124–125
 defined, 139
 identification of disease-predisposing, 117–118
 mapping, 116–117
 minimum number of genes for function of cells, 62–63
 negative selection on, 122

number in human genome, 14
positive selection on, 123–124, 123t
GeneChips, 38, 139
Gene expression, 27–43
cell-specific, 33–34
control of, 30–36, 31f–33f
activation by transcription factors, 32–34,
32f, 33f
role of global DNA structure, 34–36,
35f–36f
role of noncoding RNAs, 34
defined, 139
genome-wide expression analysis, 38–43
level of, 30
selective pressure on, 122–124
General transcription factors, 32, 139
Gene-regulatory network (GRN), 85–87,
86f, 139
Genetic code, 12–13, 12f
Genetic map, 117, 139
Genetic markers, 117, 139
Genetics
complex traits, 109–119
defined, 13, 139
Mendelian traits, 109
monogenic traits, 109
reverse, 95–96
Genetic screen, 91, 95–96, 139
Genome
defined, 139
differences among humans, 124–125
diploid, 116
duplication in S phase of cell cycle, 90
haploid, 13, 116
human and chimpanzee compared, 121–24,
122f, 123t
number of genes in human, 14
Genome sequencing, 15, 17–19, 24–25, 139
Genome-side association study (GWAS),
117, 139
Genome-wide expression analysis, 38–43, 139
Genomics, structural, 88, 147
Gilbert, Walter, 16–17
Glycolysis, 53–54, 54f–55f, 139
Goethe, Johann Wolfgang von, 114
Golgi apparatus, 49
G-protein complex, 77, 78f, 139
G-protein-coupled receptor (GPCR), 77, 78f, 139
Grana, 51f
GRN (gene-regulatory network), 85–87, 86f, 139
Growth factors, 74, 139
GTPase, 76, 139
GTP-dependent switches, 77, 78f
Guanine, 4, 4f–5f
GWAS (genome-side association study), 117, 139

H

Haemophilus influenzae, 62
Haploid genome, 13, 116, 139
Haplotypes, 125, 139
HapMap Project, 125, 139
Hartwell, Lee, 91, 92
Heme, 67, 71f
Hemoglobin, 67, 70, 71f
Heritability, of complex traits, 110
Hidden Markov models (HMMs), 23, 140
Hierarchical clustering, 43
High-pressure liquid chromatography (HPLC),
58, 140
High-throughput microscopy for imaging cellular
responses, 60–61, 61f–62f
His tag, 87, 140
Histone acetyl transferase, 35
Histones, 34–35, 35f, 140
HMMs (hidden Markov models), 23, 140
Homeobox, 104–106, 140
Homologous recombination, 105, 116, 140
Hooke, Robert, 60
Hormones, 74, 140
HPLC (high-pressure liquid chromatography),
58, 140
Human Epigenome Project, 125, 140
Human evolution
in adult tolerance to dairy products, 126
continuing, 126–127
genetic differences between humans
and chimpanzees, 121–124,
122f, 123t
genomic differences among humans,
124–125
networks in, 121–127
in pigmentation pathway, 126
shaped by infectious pathogens, 127
Human Genome Project, 18–19
Hunt, Tim, 92
Hybridization, in northern blotting,
36–37, 37f

I

Illumina sequencing, 22, 140
Indeterminate, 111, 140
Information transfer by proteins, 73–77,
74f–76f, 78f
Inositol triphosphate, 77
Insulin, 73
Interferon, 74, 140
Intermediate filaments, 58f, 59, 140
Introns, 14, 14f, 123, 140
IP3 signaling pathway, 77

J

Jacob, François, 30–31
Janus kinase (JAK), 74, 74f, 140

K

Kinase, 73, 140
k-means clustering, 43
Knock-out mice, for study of homeobox genes,
105–106
Krebs cycle, 54, 56f, 140

L

Lactase persistence, 126
Lactase-phlorizin hydrolase, 126, 140
Lactate, 54
Lactic acidosis, 54
Lactose, 30, 126
Lactose tolerance, 126
Lagging strand, 10f–11f, 11, 140
Lateral roots, 100–102, 101f–102f
LCT gene, 126
Leading strand, 11, 11f, 140
Library, 18, 140
Ligand, 73, 140
LINEs (long interspersed nuclear elements), 124
Linkage, 116–117, 140
Lipid bilayer, 46–47, 47f, 141
Lipids, in membranes, 45–47, 47f, 73
Liposome, 46
Liquid chromatography, 80
Logical operators, 98
Long interspersed nuclear elements (LINEs), 124
Luciferase, 21
Luciferin, 21
Lysosomes, 49

M

Machine learning algorithms, 23, 141
Major groove, 33, 141
Malaria, 67, 127
MALDI (matrix-assisted laser desorption/
ionization), 80–81, 81f, 141
Map-based strategy, 18, 141
MAP kinases, 76–77, 141
Mapping, genes underlying complex traits,
116–117
Massively parallel signature sequencing
(MPSS), 41

Mass spectrometry, 58, 80–82, 81f, 141
Matrix-assisted laser desorption/ionization
(MALDI), 80–81, 81f, 141
McClintock, Barbara, 25
Mediator, 32, 32f, 141
Meiosis, 116, 141
Melanocortin 1 receptor gene (*MC1R*)
(melanocyte-stimulating hormone
receptor), 12, 141
Melting, 29, 141
Membranes
chloroplast, 49, 51f, 52, 52f
lipids in, 45–47, 47f, 73
mitochondria, 49, 50f
nuclear, 49
proteins in, 46–47, 48f
vesicles, 47
Mendelian traits, 109, 141
Meselson, Matt, 9
Messenger RNA (mRNA)
defined, 141
in eukaryotic cells, 29–30, 70
miRNA interaction with, 34
modification of, 29–30, 70
poly(A) tails, 29, 38
primary, 30
role of, 28
spliced, 30
splicing, 14
synthesis of, 29, 29f
transcription, 13
in translation, 68–70, 68f–69f
Metabolic network, 54–55, 57f, 58, 141
Metabolism, positive selection associated with
genes involved in, 123t
Metabolomics, 55, 141
Methionine, 12–13
Methylation
of DNA, 35–36
of histones, 35
Mice, homeobox genes of, 105–106
Microarray
Affymetrix GeneChips, 38
of cell cycle progression, 40, 40f
defined, 38, 141
drawbacks of, 40–41
how they work, 37–39, 39f
periodic expression of genes in root, 100,
102, 102f
photolithography, 38, 39f
Microfilaments, 58f, 59
MicroRNA (miRNA), 14, 28, 34, 141
Microscopy
automated image analysis, 61, 62f
confocal, 60–61, 61f

- high-throughput microscopy for imaging cellular responses, 60–61, 61f–62f
- Microtubules, 58f, 59, 141
- miRNA (microRNA), 14, 28, 34, 141
- Mitochondria, 49–51, 50f, 141
- Mitogen-activated protein kinases (MAP kinases), 76–77, 141
- Mitosis, 142
- Mitotic cyclin, 93, 142
- Modeling, and quantitative approaches in biology, 129–130
- Model organisms, 103–104, 142
- Monod, Jacques, 30–31
- Monogenic traits, 109, 142
- Moore's law, 19
- Morgan, Thomas Hunt, 116
- Morphogen gradient, 104, 142
- Morpholino antisense oligonucleotides, 106, 142
- M (mitosis) phase, 90, 90f, 96–97, 98f, 141
- MPSS (massively parallel signature sequencing), 41
- mRNA. *See* Messenger RNA
- Multiple reaction monitoring, 82, 142
- Multiplexing, 42, 142
- Mus musculus*, 104, 142
- Mutations
- dominant, 104
 - genetic screen, 91
 - induction with ethyl methanesulfonate (EMS), 91
 - recessive, 104, 145
 - temperature-sensitive mutants, 91, 147
- Mycoplasma genitalium*, 62
- Myosin, 94
- N**
- NAD⁺, 53, 54f
- NADH, 53, 54f
- NADP, 52, 52f–53f, 142
- NADPH, 52, 52f–53f, 142
- Nanopore, 23, 142
- National Center for Biotechnology Information (NCBI), 24
- Negative-feedback oscillator, 92–93, 93f, 100
- Negative selection, 105, 122, 142
- Network motifs, 86, 86f, 142
- Networks
- controlling biological oscillators, 89–102
 - in human evolution, 121–127
 - rational network design, 63, 65
 - signaling, 77–80, 79f
 - synthetic, 63, 65
- Neural functioning, positive selection associated with genes involved in, 123t
- Neutral selective pressure, 123, 124, 142
- Next-generation sequencing, 19, 21–23, 22f, 125
- 454 sequencing, 21
 - Illumina sequencing, 22
 - pyrosequencing, 21, 22f
 - single-molecule sequencing technologies, 22–23
- Nicotinamide adenine dinucleotide phosphate, 52, 52f–53f, 142
- NMR (nuclear magnetic resonance), 88, 142
- NOD2* gene, 111
- Noncoding regions, natural selection in, 123–124
- Normal distribution, 110, 142
- Northern blotting, 36–37, 37f, 142
- Nuclear magnetic resonance (NMR), 88, 142
- Nuclear membrane, 49
- Nuclear pores, 49, 143
- Nucleolus, 49, 143
- Nucleoplasm, 49, 143
- Nucleosomes, 34–35, 35f–36f, 143
- Nucleotide, 4–5, 5f, 143
- Nurse, Paul, 92
- Nüsslein-Volhard, Christiane, 104
- Nüsslein-Volhard screen, 104
- O**
- Odd-skipped mutation, 104, 143
- Okazaki fragments, 11, 11f, 143
- Oligonucleotide, 5, 143
- Oncogene, 77–78, 78f, 143
- 1000 Genomes Project, 125, 143
- Open reading frames (ORFs), 23, 83, 143
- Organelles, 46f, 49–51, 50f–51f, 143
- Oscillators. *See* Biological oscillators
- Oxygen, released in photosynthesis, 52, 52f
- P**
- p21, 79, 143
- p53, 77–80, 79f, 143
- Pacific Biosciences, 22–23
- Paracrine signaling, 74, 143
- Pauling, Linus, 3
- PCA (principle components analysis), 43
- PCR (polymerase chain reaction), 18, 19, 20f, 21, 42, 143, 144
- PDYN* (proenkephalin-B gene), 127, 144
- Peptide bond, 70, 143

Peptidyl site, 69, 69f, 143
Permissive temperature, 91, 143
Petals, 110–113, 110f–111f, 112t,
113f–114f, 143
Phenotypes, 91, 143
Phosphate backbone, of DNA, 4, 5f–6f, 143
Phosphorylation, 73, 143
Photolithography, 38, 39f, 144
Photosynthesis
ATP generation in, 52, 52f
Calvin cycle, 52–53, 53f
by cyanobacteria, 51
defined, 144
in thylakoids, 49, 51f, 52f
Photosystem II, 52, 52f, 144
Pigmentation pathway, human, 126
Pima Indian tribe, 116
Pistillata (pi) mutation, 111–114, 112t, 113f, 144
Plants, development in, 106–108, 108f
Plasmodesmata, 144
Plasmodium vivax, 127
Polyacrylamide, 15
Polymerase chain reaction (PCR), 18, 19, 20f,
21, 42, 143, 144
Polymorphisms, 126
Poly(A) tails, 29, 38, 144
Population structure, 117, 144
Positional information, moving transcription
factor and, 108
Positive selectable marker, 105, 144
Positive selection, 123–124, 123t
PPi (pyrophosphate), 7f, 21, 144
Prebranch sites, 100, 101f, 144
Primary metabolites, 54, 144
Primary mRNA, 30, 144
Primary structure, 70, 144
Primase, 10f, 11
Primer
defined, 144
in PCR, 19, 20f, 21, 42
RNA, 10–11, 10f–11f, 38
sequencing, 17
Principle components analysis (PCA), 43
Production sequencing, 18, 144
Proenkephalin-B (prodynorphin) (*PDYN*) gene,
127, 144
Prokaryotic, 30, 144
Promoter, 31, 31f, 144
Protease, 80, 144
Protein–protein interaction, 82–84, 83f
Proteins, 67–88
catalytic activity, 71–73, 73f
chaperonins, 71, 136
DNA binding identification, 84–85
folding, 70–71, 71f–72f

in gene-regulatory network, 85–87, 86f
identification in complex mixtures,
80–81, 81f
information transfer by, 73–77, 74f–76f, 78f
measurement of differences between
sample, 82
in membranes, 46–47, 48f
protein–protein interaction identification,
82–84, 83f
purification, 87
roles of, 67
structure of, 70–71, 71f, 87–88
synthesis of, 68–70, 68f–69f
Pyrophosphate (PPi), 7f, 21, 144
Pyrosequencing, 21, 22f, 145
Pyruvate, 54, 54f–57f

Q

Quantitative approaches in biology, 129–130
Quantitative trait, 110, 117, 145
Quantitative trait loci (QTLs), 117–118, 145
Quaternary structure, 70, 145

R

Radiation, mutations induced by, 91
RAS, 76, 145
RAS pathway, 75–77, 75f–76f, 145
Rational network design, 63, 65, 145
Real-time PCR, 42
Receptors, 47, 73
defined, 145
domains of, 73–74
signal transduction and, 74–77,
74f–76f, 78f
Recessive mutation, 104, 145
Recombinant DNA technology, 87, 145
Recombination
defined, 145
haplotypes broken up by, 125
homologous, 105, 116, 140
in meiosis, 116
Repetitive DNA elements, 25, 124, 145
Replicates, 42, 145
Replication fork, 11, 145
Repressilator, 64f, 65, 145
Repressor, 31, 31f, 85, 106, 145
Restrictive temperature, 91, 145
Retrotransposons, 25, 145
Reverse genetics, 95–96, 145
Reverse transcriptase, 38, 145
Ribonucleic acid. See RNA

- Ribosomal RNA (rRNA)
 genes, 14
 in nucleolus, 49
 role of, 28, 68
 tandem repeats in, 49
- Ribosomes
 defined, 145
 RNA in, 28, 68
 role in translation, 68–70, 68f–69f
- Rickettsia prowazekii*, 51
- RNA (ribonucleic acid)
 concentration measurement, 36–37
 control of amount in cell, 27–28, 30–32
 cRNA, 38–39
 defined, 10, 145
 double-stranded RNA (dsRNA), 96
 modification of, 29–30, 70
 noncoding, 34
 northern blotting, 36–37, 37f
 primer, 10–11, 10f–11f, 38
 retrotransposons, 25
 role of, 27
 stability of, 27
 structure, 27, 28f, 30
 synthesis of, 28–30, 29f
- RNA interference (RNAi), 96, 146
- RNA polymerase, 28–33, 29f, 31f–33f, 38–39, 146
- RNA secondary structure, 30, 146
- RNase H, 10f, 11, 38, 146
- RNA-Seq, 40–42, 41f, 60, 146
- Roots
 development in *Arabidopsis*, 107–108, 108f
 positioning lateral, 100–102, 101f–102f
- rRNA. *See* Ribosomal RNA
- RuBisCo, 52–53, 53f, 146
- S**
- Saccharomyces cerevisiae*, 91
- Sanger, Fred, 16–17
- SCARECROW, 108
- Schizophrenia, 127
- Sea urchin, development in, 106, 107
- Secondary structure
 defined, 146
 protein, 70
 RNA, 30
- Second messengers, 77, 146
- Secretion, 47, 146
- Selected ion monitoring, 82, 146
- Selection
 balancing, 127
 negative, 122
 neutral, 123, 124
 positive, 123–124, 123t
- Selective sweep, 122, 146
- Semiconservative DNA replication, 9, 9f, 146
- Sepals, 110–113, 110f–113f, 112t, 146
- Sequence alignment, 23, 24
- Sequence depth, 42, 146
- Sequencer, 18
- Sequence reads, 18, 146
- Sequencing. *See* DNA sequencing
- 454 sequencing, 138
- Sequencing primer, 17, 146
- SH2 (Src-homology 2) domains, 74f, 75
- Short interfering RNA (siRNA), 28, 35, 146
- Short interspersed nuclear elements (SINEs), 124
- SHORT-ROOT, 108
- Short-term memory, computer, 27
- Shotgun sequencing, 18–19
- Sickle cell disease, 67
- Signaling cross talk, 77, 146
- Signaling network, 77–80, 79f
- Signal transduction pathway
 defined, 74, 146
 G-protein-coupled receptor pathways, 77, 78f
 RAS pathway, 75–77, 75f–76f
 second messengers, 77
 STAT pathway, 74–75, 74f
- SINEs (short interspersed nuclear elements), 124
- Single-molecule sequencing technologies, 22–23, 146
- Single-nucleotide polymorphism (SNP), 117, 125, 126, 147
- Single-stranded, 7, 147
- siRNA (short interfering RNA), 28, 35, 146
- Smithies, Oliver, 105
- SNP (single-nucleotide polymorphism), 117, 125, 126, 147
- Somatic cells, 95, 147
- S (synthesis) phase, 90, 90f, 94, 96–97, 98f, 146
- Spliced mRNA, 30, 147
- Splicing, 14, 14f, 70
 alternative, 14, 41–42, 41f
 defined, 147
- Src-homology 2 (SH2) domains, 74f, 75
- Stahl, Frank, 9
- Stamens, 110–112, 110f–111f, 112t, 113f–114f, 147
- STAT pathway, 74–75, 74f, 147
- Stem cells, 59–60, 147
- Stop codon, 12f, 13
- Strongylocentrotus purpuratus*, 106, 147

Structural genomics, 88, 147
Sucrose, breakdown of, 72, 73f
Supervised algorithms, 43
Support vector machine (SVM) model, 43
Suprachiasmatic nucleus, 100
Synergistic interactions, 115
Synthetic biology, 63–65, 64f, 147
Synthetic cell, 63, 147
Systems biology, 118–119

T

Tag, 84, 87, 147
TaqMan, 42
TATA box, 32, 32f, 147
Technical replicate, 42, 147
Temperature-sensitive mutant, 91, 147
Template strand, 29, 29f, 147
Tertiary structure, 70, 147
Testosterone, 73
TFIID, 32, 32f, 147
Thylakoids, 49, 51f, 52f, 147
Thymine, 4, 4f–5f
Time of flight (TOF), 81, 81f, 147
Transcription
 basal, 32
 defined, 13, 148
 process, 29
Transcriptional networks in development,
 103–108
Transcription factors
 in circuit diagram of sea urchin development,
 106, 107f
 cis-elements, 30, 31
 cyclin–CDK oscillator model and, 97
 defined, 30, 148
 general, 32
 homeobox, 104–106
 location of DNA binding, 84–85
 as morphogen gradient, 104
 p53 activity as, 78–79
 phosphorylation of, 77
 positional information from moving, 108
 role of, 13
 structure of, 32–33, 33f
Transfer RNA (tRNA), 28, 68–69,
 68f–69f, 148
Transformation, 84, 148
Translation, 30, 68–70, 68f–69f, 148

Transmembrane domain, 73, 148
Transporters, protein, 46–47, 48f
Transposable elements. *See* Transposons
Transposase, 25, 148
Transposons, 25, 62–63, 148
tRNA (transfer RNA), 28, 68–69,
 68f–69f
T7 RNA polymerase, 39
Trypsin, 80
Tubulin, 58f, 59
Tumor suppressor, 78, 148
Tyrosine kinase receptor, 75,
 76f, 148

U

Unsupervised algorithms, 43
Uracil, 29, 148

V

Vacuoles, 49
Venter, Craig, 18, 63
Vesicles, 47, 148

W

Warfarin, 118
Watson, Jim, 3, 5
Weinberg, Robert, 76, 77
Whole-genome shotgun sequencing,
 18–19, 148
Whorls, of *Arabidopsis* flower, 110f–115f,
 111–114, 112t, 148
Wieschaus, Eric, 104
Wild type, 91, 148

X

X-ray crystallography, 87–88, 148

y

Yeast one-hybrid method, 84–85, 148
Yeast two-hybrid method, 82–84, 83f, 148