

## Subject Index

- A**
- Acf1, 283–284
  - Amygdala
    - memory engram cell studies, 61–64
    - Pavlovian threat conditioning studies
      - aversive action control by amygdala, 14–17
      - central amygdala control of behavioral and physiological reactions, 13–14
      - lateral amygdala acquisition and storage of Pavlovian memory, 11–13
      - medial amygdala role, 17
      - Pavlovian to instrumental transfer, 16
  - Anderson, David, conversation with, 253–254
  - Angelaki, Dora, conversation with, 254–257
  - ASDs. *See* Autism spectrum disorders
  - Attention. *See* Visual attention
  - Autism spectrum disorders (ASDs), social cognition versus social motivation theories, 222
  - Awake replay. *See* Hippocampus
  - Axel, Richard, conversation with, 258–259
- B**
- Bargmann, Cori, conversation with, 259–262
  - Bayesian learning. *See* Representation learning
  - Behavior. *See* Social behavior
  - BRAIN initiative, 240–241, 261–262
  - Brainstem oscillator. *See* Whisking
- C**
- Central performance drop (CPD), texture segmentation, 154–156
  - Churchland, Patricia, conversation with, 263–265
  - CLARITY, 266–267
  - Cognitive process, definition, 48
  - Conditioned stimulus (CS), conditioned threat stimuli
    - aversive action control by amygdala, 14–17
    - central amygdala control of behavioral and physiological reactions, 13–14
    - lateral amygdala acquisition and storage of Pavlovian memory, 11–13
    - medial amygdala role, 17
    - Pavlovian to instrumental transfer, 16
  - Confidence judgment. *See* Decision-making
  - CPD. *See* Central performance drop
  - CS. *See* Conditioned stimulus
- D**
- Decision-making
    - behavioral decision-making. *See* Social behavior
    - confidence judgments
      - bounded evidence accumulation, 187–189
      - causal testing in monkeys, 189–191
      - elapsed decision time effects, 191–192
      - history of study, 186
      - information for generating, 185
      - overview, 185–186
      - postdecision wagering, 189, 191, 194
      - prospects for study, 192–194
      - sequential analysis models, 186–187
      - signal-detection theory, 186–187, 191
    - efficient coding, 170
    - hippocampal awake replay, 54
    - history of study, 169–170
    - information theory, 170
    - normalization models
      - choice behavior in normalization networks, 175–176
      - Heeger normalization model of neuron firing rate, 170–171
      - Heeger–Simoncelli model, 171–172, 174
      - network representation, 173–174
      - neuronal dynamics of networks, 174–175
    - sensorimotor control
      - Bayesian decision theory, 96
      - bidirectional interplay of decisions and control, 96–97
      - overview, 95–96
    - spontaneous decisions and free will
      - integration-to-bound model, 180, 183
      - Libet experiments, 177–178, 182–183
      - overview, 177–178
      - philosophical considerations
        - all or nothing relevance of cases, 183
        - dual theories of decision-making, 183
        - Libet’s readiness potential, 182
        - neuroscience and free will, 181–182
        - rodent free will, 182
        - waiting tasks versus rational decisions, 182
      - spontaneous action features from rodents to humans, 179–181
  - Deisseroth, Keith, conversation with, 266–268
  - Dentate gyrus (DG), memory engram cell studies, 60–64
  - Depression, heredity, 283
  - Desimone, Robert, conversation with, 269–270
  - DG. *See* Dentate gyrus
  - DiCarlo, James, conversation with, 271–274
  - Dorcas Cummings Lecture, 245–249
  - Dorsal medial superior temporal area (MSTd), multisensory heading perception role, 144–146
  - Drosophila*
    - behavior. *See* Social behavior
    - motion vision. *See* Hassenstein–Reichart detector
- E**
- EFT. *See* Escape from threat
  - Engram theory of memory. *See* Memory engram cell
  - Escape from threat (EFT), amygdala role, 15–16
  - Esr1<sup>+</sup> neuron
    - genetic identification as aggression neurons in mice, 204–205
    - male–female interaction regulation, 205–207
    - male–male interaction regulation, 205
    - scaleable control of social behavior, 205
- F**
- Face recognition. *See* Object recognition
  - False memory. *See* Memory engram cell
  - FEF. *See* Frontal eye fields
  - Fish social behavior. *See* Social behavior
  - fMRI. *See* Functional magnetic resonance imaging
  - Forelimb movement. *See* Reaching tasks
  - Frontal eye fields (FEF)
    - modulation of visual cortical fields, 128
    - multisensory heading perception role, 144–145
    - saccadic suppression studies, 126–127, 129
  - Functional magnetic resonance imaging (fMRI)
    - covert attention effects on spatial resolution studies, 157
    - macaque face patch system studies, 109–111
    - magnetoencephalography combination, 269
    - origins, 237–238
- G**
- GABApre neuron, smooth forelimb movement through sensory gain control, 82–86
  - Gad2, smooth forelimb movement through sensory gain control studies, 82–83

- Gaze control  
  frontal eye fields and modulation of  
    visual cortical fields, 128  
  prospects for study, 128–129  
  saccades and visual perception,  
    123–124  
  saccadic suppression  
    anatomic constraints on possible  
      mechanisms, 127–128  
    neural responses to visual stimuli,  
      124–127  
    overview, 123  
    psychophysical evidence for central  
      source, 123–124  
Gazzaley, Adam, conversation with,  
  275–276  
GnRH. *See* Gonadotropin-releasing  
  hormone  
Gonadotropin-releasing hormone (GnRH),  
  *Astatotilapia burtoni* social  
  hierarchy studies, 230–231  
Graybiel, Ann, conversation with,  
  277–278
- H**
- Hassenstein–Reichart detector  
  columnar neurons of *Drosophila* optic  
  lobe, 133  
  input elements, 134  
  lobula plate cells, 131–132  
  local directionally selective neurons,  
  135  
  motion opponency implementation,  
  136  
  neural implementation, 132, 134  
  overview, 131–132  
  parallel motion pathways, 134–135  
  photoreceptor recordings, 132  
  prospects for study, 137  
  transmedulla neurons, 132, 137  
  transmedulla Y neurons, 132  
HCNN. *See* Hierarchical convolutional  
  neural network  
Heading perception. *See* Motion  
  perception  
Heeger normalization model. *See*  
  Decision-making  
Hierarchical convolutional neural network  
  (HCNN), object recognition  
  modeling, 103–105  
Hierarchical Modular Optimization  
  (HMO), object recognition  
  modeling, 104–105  
Hippocampus  
  circuitry, 52  
  learning  
    awake replay  
      during learning, 53  
      retrieval, deliberation, and  
      decision-making, 54  
    cognitive mapping, 55  
    information processing dynamic  
    role, 55–56  
    overview, 51–52  
    place cell representation changes  
      with experience, 52–53  
    reactivation modulation, 53  
    sharp-wave ripple, 51, 53–54, 56  
  local field potential recordings, 41  
  navigation system  
    hippocampal–entorhinal cortex, 44  
    overview, 44  
    self-organized activation, 45–47  
    sensory-driven activity, 45  
HMO. *See* Hierarchical Modular  
  Optimization
- I**
- iIPFC. *See* Infralimbic prefrontal cortex  
Inferior temporal cortex (IT)  
  macaque face patch system, 109,  
  113–114  
  object recognition role, 99–106  
Infralimbic prefrontal cortex (iIPFC),  
  escape from threat  
  modulation, 16  
Integration-to-bound model. *See*  
  Decision-making  
IT. *See* Inferior temporal cortex
- J**
- jPCA modeling. *See* Reaching tasks
- L**
- Language learning  
  infant learning timing, 213  
  phoneme learning, 212–213  
  phonetic learning  
    brain mechanisms, 217–218  
    computational solution, 213–214  
  second language critical period for  
  learning, 212  
  social factor gating  
    mechanisms, 216–217  
    neurobiological foundations of  
    social learning, 218  
  overview, 211  
  social context effects on speech  
  learning, 213–216  
Lateral geniculate nucleus (LGN), saccadic  
  suppression role, 124–127  
Lateral intraparietal area (LIP)  
  decision-making studies, 171–172, 187  
  saccadic suppression role, 124, 126  
Lateral reticular nucleus (LRN), internal  
  feedback for rapid motor  
  updating in reaching,  
  86–89  
Learning. *See* Hippocampus; Language  
  learning; Motor memory;  
  Representation learning  
LeDoux, Joseph, conversation with,  
  279–281  
LFP. *See* Local field potential  
LGN. *See* Lateral geniculate nucleus  
LIP. *See* Lateral intraparietal area  
Local field potential (LFP), hippocampus  
  recordings, 41  
Locomotion, visual cortex VI response in  
  mouse  
  disinhibitory circuit enhancement  
  of responses, 5–8  
  gain increase, 1  
  midbrain locomotor region activation,  
  4–5  
  plasticity, 1, 3–4, 7–8  
LRN. *See* Lateral reticular nucleus
- M**
- Macaque face patch system. *See* Object  
  recognition  
Magnetoencephalography (MEG)  
  functional magnetic resonance imaging  
  combination, 269  
  phonetic learning studies, 211,  
  217–218  
Master clock. *See* Whisking  
Medial temporal lobe (MTL), episodic  
  memory storage, 59  
MEG. *See* Magnetoencephalography  
Memory engram cell  
  engram theory of memory origins, 59  
  false memory generation, 61–62  
  medial temporal lobe episodic memory  
  storage, 59  
  memory valence changing, 62–64  
  optogenetic activation to induce memory  
  recall, 60–61  
Midbrain locomotor region (MLR),  
  activation by locomotion,  
  4–5  
MLR. *See* Midbrain locomotor region  
Motion perception  
  *Drosophila* motion vision. *See*  
    Hassenstein–Reichart  
    detector  
  multisensory heading perception  
  accuracy and precision overview,  
  142  
  biases in presence of  
    eye and head movements, 144  
    moving objects, 143–144  
  cues, 141–142  
  multisensory calibration and  
  perceptual accuracy  
  improvement, 143  
  multisensory integration and  
  perceptual precision  
  improvement, 142–143  
  neural correlates, 144–146  
Motor memory  
  contextual rules  
  overview, 93–94  
  structural learning, 94  
  tool use, 94–95  
  decision-making and sensorimotor  
  control  
    Bayesian decision theory, 96  
    bidirectional interplay of decisions  
    and control, 96–97  
  overview, 95–96  
  online control  
    optimal feedback control, 95  
    rapid motor responses, 95  
    risk sensitivity, 95  
    velocity-dependent curl field, 93  
MSTd. *See* Dorsal medial superior  
  temporal area  
MTL. *See* Medial temporal lobe
- N**
- N*-methyl-D-aspartate receptor (NMDAR),  
  lateral amygdala acquisition  
  and storage of Pavlovian  
  memory, 12–13  
NAc. *See* Nucleus accumbens  
Navigation. *See* Hippocampus; Motion  
  perception  
NE. *See* Norepinephrine  
Nestler, Eric, conversation with,  
  282–284  
Neural predictivity, object recognition  
  modeling, 103–104

- Neuroscience  
  advancement of techniques, 237–240  
  prospects for 2025, 240–241
- NMDAR. *See* N-methyl-D-aspartate receptor
- Norepinephrine (NE), lateral amygdala  
  acquisition and storage of  
  Pavlovian memory role, 13
- Nucleus accumbens (NAc), dopaminergic  
  dynamics of social  
  behavior, 221–225
- O**
- Object recognition  
  core object recognition behavior, 100  
  encoding and decoding processes,  
  99–100  
  inferior temporal cortex role, 99–106,  
  109, 113–114  
  macaque face patch system  
  computational architecture,  
  111–113  
  connectivity of patches, 111  
  functional architecture, 111  
  overview, 109–111  
  prospects for study, 113–114  
  neuronal population activity modeling  
  decoding model  
  establishment with correlative  
  methods, 100–102  
  testing with causal methods,  
  102–103  
  from images to neuronal population  
  activity patterns, 103–106  
  predictive linking model, 101
- Optic tectum (OT), saccadic suppression  
  role, 127–128
- OT. *See* Optic tectum
- P**
- Parieto-insular vestibular cortex (PIVC),  
  multisensory heading  
  perception role, 144
- Pavlovian threat conditioning (PTC)  
  aversive action control by amygdala,  
  14–17  
  central amygdala control of behavioral  
  and physiological reactions,  
  13–14  
  lateral amygdala acquisition and storage  
  of Pavlovian memory,  
  11–13  
  medial amygdala role, 17  
  Pavlovian to instrumental transfer, 16
- PFC. *See* Prefrontal cortex
- PIVC. *See* Parieto-insular vestibular cortex
- Place cell  
  firing in episodic and semantic  
  memory, 47  
  representation changes with experience,  
  52–53
- Plasticity, visual cortex VI locomotion  
  response in mouse, 1, 3–4,  
  7–8
- PN. *See* Propriospinal neuron
- Population peristimulus time histogram.  
  *See* Reaching tasks
- Posttraumatic stress disorder (PTSD), 64,  
  276, 280, 296
- Pouget, Alexandre, conversation with,  
  285–287
- Prefrontal cortex (PFC), integration of  
  motivational and cognitive  
  control of social behavior,  
  225–226
- Propriospinal neuron (PN), internal  
  feedback for rapid motor  
  updating in reaching,  
  86–89
- PTC. *See* Pavlovian threat conditioning
- PTSD. *See* Posttraumatic stress disorder
- Pulvinar nucleus, saccadic suppression  
  role, 124–125
- Pyloric rhythm. *See* Stomatogastric  
  ganglion
- R**
- Reaching tasks  
  internal feedback control  
  merging with external feedback,  
  89–90  
  rapid motor updating, 86–89  
  models of neural activity during reach  
  generation  
  dynamical model  
  basis set for muscle activity,  
  68–70  
  mechanistic hypothesis  
  development, 77–78  
  neural response prediction,  
  69–70  
  overview, 68–69  
  population response  
  predictions, 70–72  
  prospects for study, 78  
  rotation motif in population  
  response, 71–73  
  simplified models, 67–69  
  traditional versus dynamical  
  models  
  population peristimulus time  
  histogram pitfalls, 75–77  
  projections of the population, 75  
  represented parameter interpre-  
  tation, 73  
  tuning changes with time, 75  
  tuning variation with other  
  factors, 73–75  
  motor cortex study principles, 67  
  sensory feedback delays, 81–82  
  smooth movement through sensory gain  
  control, 82–86
- Receptive field. *See* Spatial resolution
- Representation learning  
  causal model comparison to test for  
  Bayesian learning  
  findings, 165–167  
  modeling  
  Bayesian model, 163–164  
  model fitting, 164  
  reinforcement-learning model,  
  164  
  participants, 162  
  real-time manipulation, 164–165  
  task, 162–163  
  overview, 161–162
- Rushworth, Matthew, conversation with,  
  288–290
- S**
- Saccadic suppression. *See* Gaze control
- SC. *See* Superior colliculus
- Self-organization  
  attractors of directional sense, 43–44  
  hippocampal navigation system  
  activation, 45–47
- memory and optimization of behavior,  
  48–49
- simple versus complex brains, 42
- Sensorimotor learning. *See* Motor memory
- Shadlen, Michael, conversation with,  
  291–292
- Sharp-wave ripple (SWR), hippocampus  
  and learning, 51, 53–54, 56
- Snf2h, 283
- Social behavior  
  cognitive skills needed in *Astatotilapia*  
  *burtoni* social hierarchies  
  attention hierarchies, 231  
  deception in males, 231–233  
  genomic consequences of female  
  mate choice, 234–235  
  model system features, 229–230  
  overview, 229  
  status consequences, 230–231  
  transitive inference by males,  
  233–234
- decision-making  
  aggression control in mice  
  genetic identification of ag-  
  gression neurons, 204–205  
  male–female interaction  
  regulation by aggression  
  neurons, 205–207  
  male–male interaction  
  regulation by aggression  
  neurons, 205  
  overview, 202–203  
  scaleable control of social  
  behavior by aggression  
  neurons, 205  
  ventromedial hypothalamus  
  locus identification, 203,  
  204  
  overview, 199–200  
  rheostat versus switch controls,  
  207–208  
  state-dependent control in  
  *Drosophila*  
  aggression arousal control by  
  tachykinin, 200–202  
  persistent behavior control by  
  P1 neurons, 202
- Tinbergen’s hierarchical model,  
  199–200
- dopaminergic dynamics in humans  
  autism spectrum disorders, social  
  cognition versus social  
  motivation theories, 222
- circuit-based approach to social  
  motivation, 222–225
- integration of motivational  
  and cognitive control,  
  225–226
- ventral tegmental area and nucleus  
  accumbens, 221–225
- Somatostatin (SST), disinhibitory circuit  
  enhancement of visual  
  cortex responses during  
  locomotion, 5–8
- Spatial resolution  
  covert attention  
  endogenous versus exogenous,  
  149–150  
  spatial resolution effects  
  acuity, 152–153  
  crowding, 152  
  neurophysiology linking with  
  behavior, 156–157  
  overview, 151–152

- Spatial resolution (*Continued*)  
  texture segmentation, 153–156  
  visual search, 151–152  
  receptive field size, 150–151, 157  
Speech. *See* Language learning  
SST. *See* Somatostatin  
STG. *See* Stomatogastric ganglion  
Stomatogastric ganglion (STG)  
  history of study, 21  
  pyloric rhythm  
  descending neuromodulatory  
    input removal effects, 22–23  
  neuromodulation of conductance  
    expression, 24–26  
  range of normal rhythms, 21–22  
  variability origins between  
    animals, 23–24  
Superior colliculus (SC), saccadic  
  suppression role, 124–128  
Svoboda, Karel, conversation with,  
  293–294  
SWR. *See* Sharp-wave ripple
- T**
- Tachykinin, *Drosophila* aggression arousal  
  control, 200–202  
Texture. *See* Spatial resolution; Visual  
  cortex  
Threat. *See* Pavlovian threat conditioning  
Tonegawa, Susumu, conversation with,  
  295–296
- V**
- Vasoactive intestinal peptide (VIP),  
  disinhibitory circuit  
  enhancement of visual  
  cortex responses during  
  locomotion, 5–8  
Ventral intraparietal area (VIP),  
  multisensory heading  
  perception role, 144–145  
Ventral tegmental area (VTA),  
  dopaminergic dynamics of  
  social behavior, 221–225  
Ventromedial hypothalamus (VMH)
- aggression locus identification in mice,  
  203, 204  
Esr1<sup>+</sup> neurons in mice  
  genetic identification of  
    aggression neurons,  
    204–205  
  male–female interaction  
    regulation, 205–207  
  male–male interaction regulation,  
    205  
  scaleable control of social  
    behavior, 205  
Vibrissia zone of the intermediate  
  band of the reticular  
  formation (vIRt), whisking  
  measurements, 32–33,  
  35–38  
VIP. *See* Vasoactive intestinal peptide;  
  Ventral intraparietal area  
vIRt. *See* Vibrissia zone of the  
  intermediate band of the  
  reticular formation  
Visual attention  
  covert attention  
    endogenous versus exogenous,  
    149–150  
  spatial resolution effects  
    acuity, 152–153  
    crowding, 152  
    neurophysiology linking with  
    behavior, 156–157  
    overview, 151–152  
    texture segmentation,  
    153–156  
    visual search, 151–152  
  selective attention, 149  
Visual cortex. *See also* Object recognition  
  face recognition. *See* Object  
  recognition  
  naturalistic image structure  
    representation in primates  
    cascaded visual processing, 115  
  prospects for study, 120–121  
  texture  
    human cortical unit  
    responses to naturalistic  
    texture and natural images,  
    119–120  
    macaque cortical unit responses  
    to naturalistic texture,  
    118–119  
    models and human perception,  
    115–117  
  saccadic suppression. *See* Gaze  
  control  
  visual cortex V1 locomotion response  
  in mouse  
    disinhibitory circuit enhancement  
    of responses, 5–8  
    gain increase, 1  
    midbrain locomotor region  
    activation, 4–5  
    plasticity, 1, 3–4, 7–8  
Visual object recognition. *See* Object  
  recognition  
Visual posterior sylvian (VPS),  
  multisensory  
  heading perception role,  
  144–146  
VMH. *See* Ventromedial hypothalamus  
VPS. *See* Visual posterior sylvian  
VTA. *See* Ventral tegmental area
- W**
- Whisking  
  brainstem oscillator, 29–30, 32–33,  
  35–38  
  breathing cycle as master clock,  
  29–30, 34  
  cognition role of master clock, 38  
  kainic acid microinjection studies, 33  
  mathematical modeling, 38  
  motor circuitry, 29–31  
  sniffing correlation, 30  
  vibrissia zone of the intermediate  
  band of the reticular  
  formation measurements,  
  32–33, 35–38  
Wolpert, Daniel, conversation with,  
  297–298
- Z**
- Zador, Tony, conversation with,  
  299–301