

Index

- A**
- α -Aminoadipate plates (α -AA), 202–203
 - Acetamide media, 207
 - Actin staining in fixed yeast cells
 - materials and solutions, 156
 - procedure, 155–156
 - safety notes, 155
 - Add-back medium, 196–197
 - ADE2*, 2, 91
 - ade2* mutants, 19
 - Aequoria victoria*, 20
 - Affymetrix microarrays, 113
 - Agarose pads, 157–158
 - AID (auxin-inducible degron) system, 70
 - ARS* (autonomous replicating sequence), 2–3
 - Ascospores, 43
 - Ascus, 43
 - Ashbya gossypii*, 124
 - ATCC, 175, 223
 - Autonomous replicating sequence (*ARS*), 2–3
 - Auxin-inducible degron (*AID*) system, 70
 - Auxotrophic mutants, 45, 49, 57
- B**
- Barcode sequencing
 - about, 113–114
 - experimental procedures, 114–121
 - bar-seq PCR, 116–119
 - colony PCR, 119–121
 - guarding against contamination, 114
 - materials, 121–122
 - strains, 114
 - Bar-seq PCR, 116–119
 - Basal copy number, 98
 - Bialaphos, 206
 - Biological safety procedures, 222–223
 - Bulk segregant analysis, 99
 - BY4743 background, 79
- C**
- C6 cytometer
 - adding solution, 140–141
 - after sampling, 140
 - general procedures, 138
 - running the samples, 139–140
 - start-up, 138–139
 - vocabulary, 137–138
 - CaCl_2 , 1
 - Calcofluor, 17, 18f, 154
 - CAN1* gene, 90
 - Canavanine, 81f, 82, 83, 90, 92, 94–95, 204, 207–208
 - Cassette models, 30, 30f
 - Centromere (*CEN*) plasmids, 3
 - CFP (cyan fluorescent protein), 20
 - CGH. *See* Comparative genomic hybridization
 - Chemostat, 105
 - cis-trans* test. *See* Complementation testing
 - clonNAT, 205
 - CNVs (copy-number variations), 97–98
 - Colony PCR, 119–121, 191
 - Colony pinning, 83
 - Comparative functional genomics. *See* Barcode sequencing
 - Comparative genomic hybridization (CGH)
 - copy-number changes and, 97–98
 - experimental procedures, 100–103
 - following up candidate mutations, 99–100
 - linking mutations to phenotype, 98–99
 - materials, 103–104
 - strains, 100
 - Complementation testing, 58–59
 - Conditional expression systems, 70–72
 - Copy-number variations (CNVs), 97–98
 - Counting yeast cells, 93–94, 167–169
 - Cyan fluorescent protein (CFP), 20
 - Cycloheximide, 203
 - Cytometer. *See* C6 cytometer
- D**
- DAPI (4',6-Diamidino-2-phenylindole), 17–18, 18f, 145, 151–153
 - Deletion collection strains storage and handling, 175–177

- Deletion Consortium, 175
Deletion mutations
 classes of genes defined
 by, 79
 experimental procedures,
 84–86
 materials, 87
 phenotype screening, 80
 random spore analysis
 and, 82–84
 strains, 84
 strains vendors, 79
 synthetic-lethal interactions
 identification, 80–82,
 81*f*, 83–84
 uses for in yeast genetics, 80
Department of Health,
 Education, and
 Welfare (HEW), 223
4',6-Diamidino-2-
 phenylindole (DAPI),
 17–18, 18*f*, 145,
 151–153
DiOC₆(3), 18, 153
Dihydrofolate reductase
 (DHFR), 70
DiIC₅(3), 18, 153
Diploids
 cell morphology and, 16,
 16*f*, 98
 complementation testing
 and, 59
 haploid strains and, 98
 mating-type and, 29, 30,
 31–32, 31*f*
 meiosis and, 43
 selection using SGA, 81*f*,
 82–83
 tetrad dissection and, 45, 49
 transformation practices,
 124
Discosoma, 20
Disposal of materials. *See*
 Safety and hazardous
 material information
Dissection needles, making,
 163–164
DNA
 barcode sequencing and,
 113–114
 concentration
 measurement, 189
 copy-number
 measurement, 97–98
 DAPI and, 17–18
 essential genes and, 69
 genomic modifications with
 PCR products and, 123,
 126*f*, 128, 129
 mutation detection and,
 108–109
 preparation of genomic,
 143–144
 staining of, 151
 uptag and downtag, 176
 yeast transformation
 methods and, 1–8
Dominant drug resistance, 2
Downtagging, 113, 175,
 176
Dropout media, 197–199
Drug selection media
 5-fluoroanthranilic acid,
 203
 5-fluoro-ototic acid plates,
 201–202
 α-aminoadipate plates,
 202–203
 acetamide media, 207
 bialaphos, 206
 canavanine, 204
 clonNAT, 205
 cycloheximide, 203
 fluoroacetamide/
 acetamide, 206–207
 5-fluoroanthranilic acid,
 203
 5-fluoro-ototic acid plates,
 201–202
 G418, 204–205
 hygromycin, 205
 phleomycin/zeocin, 206
 thialysine, 204
E
Electroporation, 1–2
EMS (ethylmethane
 sulfonate), 57, 80,
 165–166
EMS mutagenesis
 materials and solutions,
 166
 procedure, 165–166
 safety notes, 165
Epigenetic transcriptional
 silencing
 assays to monitor mating-
 type silencing, 31–33,
 31*f*, 32*f*
 experimental procedures,
 35–40
 experiment overview, 34
 HML and *HMR* mating loci,
 30, 30*f*
 HML and *HMR* silencing,
 30–31
 materials, 40–41
 mating-type and, 29–30,
 30*f*, 31*f*
 plasmids, 34
 practical applications of
 mating yeast, 33
 strains, 33–34
 variegated expression and
 epigenetic
 inheritance, 31
Essential genes study
 conditional expression
 systems, 70–72
 examples of essential
 genes, 69
 experimental procedures,
 73–75
 materials, 76–77
 point mutants, 70
 strains, 72–73
 temperature-sensitive
 mutants, 69–70
Ethylmethane sulfonate
 (EMS), 57, 80,
 165–166
European *Saccharomyces*
 cerevisiae Archive for
 Functional Analysis
 (EUROSCARF), 79,
 123, 175
F
Fiber-optic needles, 163–164
Flow cytometry of yeast DNA
 content
 materials, 172–173
 procedure, 171–172
Fluorescence resonance energy
 transfer (FRET), 20

- Fluoroacetamide/acetamide, 206–207
- 5-Fluoroanthranilic acid (5-FAA), 203
- FM 4–64, 18, 18*f*, 153
- 5-FOA (5-fluoro-orotic acid), 6, 32, 57, 201–202
- G**
- G418, 204–205
- GAL1* system, 70
- Gal4 transcriptional activator, 33
- GE Healthcare Dharmacon, 79, 175
- Genomic modifications with PCR products
- availability of PCR templates, 123
 - de novo gene disruption by one-step gene replacement, 124–125
 - gene disruption by one-step gene replacement, 125–126
 - generation of protein fusions by one-step modification, 127–128
 - mistargeting and, 123–124
 - PCR protocol for gene modifications, 128–130
 - reagents, 130
 - single-step attribute, 123
 - transforming diploid yeast strains first and, 124
- GFP (green fluorescent protein), 20
- Glass needles, 163
- H**
- Haploids
- cell morphology and, 15, 16, 16*f*, 17, 98
 - diploid strains and, 98
 - mating-type and, 29, 30, 31–32, 31*f*
 - meiosis and, 43–44
 - selection using SGA, 81*f*, 82–83
 - tetrad dissection and, 45–46, 48–49
- transformation practices, 124
- Hazardous chemicals, 223–224
- Hemocytometer, 167–169
- Heterothallic haploid strains, 29
- HEW (Department of Health, Education, and Welfare), 223
- High-efficiency yeast transformation materials, 135
- procedure, 133–134
- HIS3*, 2
- HML* and *HMR*
- mating loci, 30, 30*f*
 - silencing, 30–31
- Hoffman–Winston genomic DNA preparation, modified materials, 144
- procedure, 143–144
 - safety notes, 143
- HO* gene, 29
- Homothallic haploid strains, 29
- Hygromycin, 205
- I**
- Imaging of live yeast, 157–158
- Indicator media
- limiting Ade plates, 200
 - MAL, 201
 - X-Gal plates, 201
- Indirect immunofluorescence
- about, 20–21
 - materials and solutions, 148–150
 - microscopy procedure
 - antibody staining, 147–148
 - cell fixation, 145
 - mounting, 148
 - optional DAPI staining, 148
 - slide preparation, 146–147
 - spheroplasting, 145–146
 - safety notes, 145
- Institutional safety officer, 217
- K**
- Karyogamy, 17
- Kluyveromyces lactis*, 124
- L**
- Laboratory waste disposal, 220–221
- LEU2*, 2
- Light microscopy
- examination of growth properties, 15–16, 16*f*
 - experimental procedures, 23–26
 - experiment overview, 22–23
 - with fluorescent protein chimeras, 20
 - haploids versus diploids, 16, 16*f*, 17
 - indirect
 - immunofluorescence, 20–21
 - materials, 26–28
 - mating cells, 17
 - mutants behavior, 19
 - plasmids, 22
 - primers, 22
 - safety notes, 22
 - staining cells with dyes and drugs, 17–19, 18*f*
 - strains, 21–22
- Limiting Ade plates, 200
- Linkage analysis, 99
- Lithium acetate (LiOAc), 1
- M**
- MAL indicator plates, 201
- Material safety data sheets (MSDSs), 217
- Mating, meiosis, and tetrad dissection
- experimental procedures, 49–54
 - materials, 54–55
 - meiosis of *MATa/MAT α*
 - diploids, 43, 44*f*
 - strains, 49
- tetrad analysis, 45, 47–48, 48*f*

230 INDEX

- Mating, meiosis, and tetrad dissection (*Continued*)
tetrad dissection, 43–44, 44*f*, 48–49
types of tetrads, 45–47, 46*f*, 48*f*
- Mating-type
about, 29–30, 30*f*, 31*f*
alleles, 29
assays to monitor
mating-type silencing, 31–33, 31*f*, 32*f*
- MAT* locus, 29, 30
- mCherry, 20, 127
- Measuring DNA
concentration, 189
- Media
avoiding caramelization, 195
avoiding mushy plates, 195
drug selection, 201–207
indicator, 200–201
rich, 195–196
SGA, 207–209
sporulation, 199–200
synthetic, 196–199
- Medial pathological waste (MPW), 220
- Meiosis. *See* Mating, meiosis, and tetrad dissection
- MET3* system, 70
- Microscopy. *See* Light microscopy
- Minimal SPO, 199
- Mitochondrial dyes, 18–19, 18*f*
- Mitotracker Red, 18, 18*f*, 19, 153
- Modified Hoffman–Winston genomic DNA preparation
materials, 144
procedure, 143–144
safety notes, 143
- MPW (medial pathological waste), 220
- MSDSs (material safety data sheets), 217
- MSH2*, 90
- 2 μ -Based plasmids, 3
- Mutant isolation and characterization
auxotrophic mutants, 57
complementation testing, 58–59
experimental procedures, 60–65
experiment overview, 59
materials, 65–66
mutant enrichment, 57–58
safety notes, 60
strains, 59–60
temperature-sensitive mutants, 58
- Mutation rates
cell counting, 93–94
experimental approach, 90–91
experimental procedures, 91–95
growth equation, 89
materials, 95–96
measurement technique, 89–90
plating mutants, 94–95
qualitative view of, 91
strains, 91
- Mutations
deletion (*see* Deletion mutations)
detecting using CGH (*see* Comparative genomic hybridization)
detecting using the whole genome (*see* Whole-genome sequencing and linkage)
isolation and characterization (*see* Mutant isolation and characterization)
rates (*see* Mutation rates)
- N**
- Nalgene, 83
- National Institute of Environmental Health and Human Services (NIEHS), 223
- N-degron system, 70
- Needles, making, 163–164
- Nonparental ditype (NPD) tetrad, 45
- Nystatin, 58
- O**
- OmniTrays, 83
- P**
- Paraformaldehyde, 145, 155
- Parental ditype (PD) tetrad, 45
- PCR (polymerase chain reaction)
amplification, 109–110
barcode sequencing and, 114
bar-seq procedure, 116–119
clean-up, 110–111
colony, 119–121, 191
genomic modifications using
availability of PCR templates, 123
de novo gene disruption by one-step gene replacement, 124–125
gene disruption by one-step gene replacement, 125–126
generation of protein fusions by one-step modification, 127–128
mistargeting and, 123–124
PCR protocol for gene modifications, 128–130
reagents, 130
single-step attribute, 123
transforming diploid yeast strains first and, 124
integration analysis using, 1, 5
isolating mutants and, 70
mediated genome modifications using, 6–7
mutation detection and, 98
plasmids transformation and, 6–7, 6*f*

- PEG (polyethylene glycol), 1
Petite phenotype, 19
PFGE (pulsed-field gel electrophoresis), 98
Phenol, 143
Phenylenediamine, 145
Pheromones and mating cells, 17
Phleomycin/zeocin, 206
Plasmids transformation
 ARS elements and replication, 2–3
 experimental procedures, 8–11
 experiment overview, 7–8
 integration into the yeast genome, 4–6, 5*f*
 integration reversal, 5–6
 materials, 11–13
 PCR-mediated genome modifications, 6–7, 6*f*
 plasmids, 7
 primers, 7
 replication origins, 2–3
 selectable markers, 2
 strains, 7
 transformation methods for yeast, 1–2
 vector systems, 3–4, 4*f*
 verification of integration at a specific locus, 4–5
PlusPlates, 83
Point mutants, 70
Polyethylene glycol (PEG), 1
Polymerase chain reaction. *See* PCR
Pop-in/Pop-out technique, 5–6
Presporulation media, 200
pRS406-Nup49-GFP, 4
pRS series, 3
Pulsed-field gel electrophoresis (PFGE), 98
- Q**
Qubit fluorometer, 189
- R**
Radioactive safety procedures, 221–222
Random spore analysis, 82–84
Red fluorescent protein (RFP), 20
Rhodamine-phalloidin, 18*f*, 19
Rich media
 YEP, 196
 YPD (YEPD), 195
 YPG (YEPG, YEP-glycerol), 196
- S**
S&P Robotics, 177
Sac, 43
Saccharomyces cerevisiae
 deletion mutations, 79–84
 epigenetic transcriptional silencing, 29–34
 essential genes study, 69–72
 growth properties, 15–16, 16*f*
 haploids versus diploids, 16, 16*f*, 17
 light microscopy use in research, 15–22
 mating, meiosis, and tetrad dissection, 43–49
 mating cells, 17
 mating-type, 29, 29–30, 30*f*, 31*f*
 mutant isolation and characterization, 57–59
 mutants behavior, 19
 mutation detection using CGH, 97–100
 mutation detection using whole-genome sequencing, 105–112
 mutation rates, 89–91
 plasmids transformation, 1–8
 tetrads, 43–49
Saccharomyces Genome Database (SGD), 47, 175
Safety and hazardous material information
 biological safety procedures, 222–223
 classes of agents, 223
 general safety and disposal cautions, 217, 218–220
 hazardous chemicals
 general properties, 223–224
 laboratory waste disposal, 220–221
 primary safety information resources, 217–218
 radioactive safety procedures, 221–222
Safety notes. *See also* Safety and hazardous material information
 actin staining in fixed yeast cells, 155
 EMS mutagenesis, 165
 Hoffman–Winston genomic DNA preparation, 143
 indirect
 immunofluorescence, 145
 for light microscopy, 22
 mutant isolation and characterization, 60
Sanger sequencing, 99
Schizosaccharomyces pombe, 124
Scoring SGA screens. *See* SGATools
Selectable markers, 2
SGA (synthetic genetic array), 80–82, 81*f*, 83–84
SGA media
 amino acids mix, 209
 SD/MSG -HIS -ARG -LYS mixes, 207–208
 SPO+YE+glucose+amino acids, 207
SGATools, 83
 analyzing screens
 calculating normalized colony sizes, 183–185
 displaying genetic interaction scores, 185–188
 obtaining colony sizes, 180–182
 ORF names, 180
 process images and obtaining colony sizes, 180–182

232 INDEX

- SGATools (*Continued*)
 scoring genetic interactions, 183–185
 quantitative scoring of genetic interactions, 179
- SGD (*Saccharomyces* Genome Database), 47, 175
- Shmooing cells, 17
- Sigma-Aldrich, 198
- Singer Instruments, 177
- Singer RoToR colony pinning robot, 83
- Single-nucleotide variants (SNVs), 98
- Sir1/2/3/4, 31
- Slide preparation, 157–158
- Spheroplasting, 1, 2
- SPO, 199
- Sporulation
 defined, 43
 medium
 minimal SPO, 199
 presporulation, 200
 SPO, 199
 tetrad dissection and liquid sporulation protocol, 159–160
 materials, 162
 plate sporulation protocol, 160
 preparation of tetrads, 160–162
- Staining cells
 actin staining in fixed yeast cells, 155–156
 with dyes and drugs, 17–19, 18*f*
 yeast vital stains, 151–154
- Streaks and patches
 templates, 215–216
- Sunrise Science, 198
- Supplemented minimal medium (SMM), 196–197
- SYBR green, 171–173
- Synthetic complete (SD) media, 197–199
- Synthetic dextrose minimal medium (SD), 196
- Synthetic genetic array (SGA), 80–82, 81*f*, 83–84
- Synthetic-lethal interactions, 80–82, 81*f*, 83–84
- Synthetic media
 add-back medium, 196–197
 dropout, 197–199
 supplemented minimal medium, 196–197
 synthetic complete, 197–199
 synthetic dextrose, 196
- Systemic deletion collection storage and handling, 175–177
- ### T
- Teknova, 198
- Temperature-sensitive mutants, 58, 69–70
- Templates
 96-Well plate, 213
 for making streaks and patches, 215–216
- Tet-off system, 70
- Tetrads
 analysis, 45, 47–48, 48*f*
 dissection, 43–44, 44*f*, 48–49
 dissection and sporulation liquid sporulation protocol, 159–160
 materials, 162
 plate sporulation protocol, 160
 preparation of tetrads, 160–162
 dissection sheets, 211–212
 experimental procedures, 49–54
 making a dissection needle, 163–164
 materials, 54–55
 strains, 49
 types of
 centromere-linked genes, 47
 classes of, 45, 46*f*, 48*f*
 linkage relationships possible, 45
 same chromosome, less tightly linked, 46
 same chromosome, tightly linked, 45–46
 unlinked genes, 47
- Tetratype (T) tetrad, 45
- Thialysine, 82, 83, 204
- Tiling microarrays, 99
- Training for the plate race, 193
- transOMIC technologies, 79, 175
- TRP1*, 2
- ### U
- Ubiquitin, 70
- Uptagging, 113, 175, 176
- URA3*, 2, 4, 4*f*, 5, 32, 32*f*, 57
- U.S. Environmental Protection Agency, 220
- U.S. Nuclear Regulatory Commission, 220
- ### V
- V&P Scientific, 83, 176
- Vector systems, 3–4, 4*f*
- Vital stains
 calcofluor staining of chitin and bud scars, 154
 DAPI staining of nuclear and mitochondrial DNA materials, 152–153
 procedures, 151–152
 safety notes, 151
 visualization of mitochondria, 153
 vacuoles and endocytic compartments, 154
- ### W
- 96-Well plate template, 213
- Whole-genome sequencing and linkage

- experimental procedures
 - clean-up of tagmented DNA with Zymo columns, 109
 - DNA quantification and quality, 108
 - DNA tagmentation, 108
 - mating-type testing, 111–112
 - PCR amplification, 109–110
 - PCR clean-up, 110–111
 - plate preparation, 106–107
 - materials, 112
 - strains, 105
- X**
 - X-Gal plates, 201
- Y**
 - Yeast transformation, high-efficiency
 - materials, 135
 - procedure, 133–134
 - Yellow fluorescent protein (YFP), 20
 - YEP, 196
 - YPD (YEPD), 195
 - YPG (YEPG, YEP-glycerol), 196
- Z**
 - Zygote, 17